

Web

webYellowfin

webclassclassclass

LoginId	String	Yellowfin WebIDIDID Yellowfin Yellowfin Web
Password	String	
OrgId	Integer	YellowfinID1
Function	String	Web BINARYCACHEFLUSH

SOAP XML

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:web="http://webservices.web.mi.hof.com/">
  <soapenv:Header/>
  <soapenv:Body>
    <web:remoteAdministrationCall>
      <arg0>
        <loginId>admin@yellowfin.com.au</loginId>
        <password>test</password>
        <orgId>1</orgId>
        <function>BINARYCACHEFLUSH</function>
      </arg0>
    </web:remoteAdministrationCall>
  </soapenv:Body>
</soapenv:Envelope>
```

StatusCode	String	Web <ul style="list-style-type: none"> SUCCESS FAILURE

SOAP

```

<S:Envelope xmlns:S="http://schemas.xmlsoap.org/soap/envelope/">
  <S:Body>
    <ns2:remoteAdministrationCallResponse xmlns:ns2="http://webservices.web.mi.hof.com/">
      <return>
        <errorCode>0</errorCode>
        <messages>Successfully Authenticated User: admin@yellowfin.com.au</messages>
        <messages>Web Service Request Complete</messages>
        <sessionId>071e8a40b17160cbc3e55df360cdab11</sessionId>
        <statusCode>SUCCESS</statusCode>
      </return>
    </ns2:remoteAdministrationCallResponse>
  </S:Body>
</S:Envelope>

```

Java

- web

```

AdministrationServiceRequest rsr = new AdministrationServiceRequest();
rsr.setLoginId("admin@yellowfin.com.au");
rsr.setPassword("test");
rsr.setOrgId(new Integer(1));

rsr.setFunction("BINARYCACHEFLUSH");

```

-

```

AdministrationServiceResponse rs = adminService.remoteAdministrationCall(rsr);

```

web

- StatusCode

web

1. **ws_binarycacheflush.jsp**
2. rootYellowfin/appserver/webapps/ROOT
- 3.
4. **http://<host>:<port>/ws_binarycacheflush.jsp**

```

<%
/*      ws_binarycacheflush.jsp      */
%>
<%@ page language="java" contentType="text/html; charset=UTF-8" %>
<%@ page import="com.hof.util.*, java.util.*, java.text.*" %>
<%@ page import="com.hof.web.form.*" %>
<%@ page import="com.hof.mi.web.service.*" %>

AdministrationServiceResponse rs = null;
AdministrationServiceRequest rsr = new AdministrationServiceRequest();
AdministrationServiceService ts = new AdministrationServiceServiceLocator("localhost", 8080, "/services
/AdministrationService", false);
AdministrationServiceSoapBindingStub rssbs = (AdministrationServiceSoapBindingStub) ts.
getAdministrationService();

rsr.setLoginId("admin@yellowfin.com.au");
rsr.setPassword("test");
rsr.setOrgId(new Integer(1));
rsr.setFunction("BINARYCACHEFLUSH");
rs = rssbs.remoteAdministrationCall(rsr);

if ("SUCCESS".equals(rs.getStatusCode())) {
    out.write("Success");
} else {
    out.write("Failure");
    out.write(rs.toString());
}

```

webYellowfin

LoginId	String	Yellowfin WebIDIDID Yellowfin Yellowfin Web
Password	String	
OrgId	Integer	YellowfinID1
Function	String	Web UPLOADLICENCE
BinaryData	byte[]	

StatusCode	String	Web <ul style="list-style-type: none"> SUCCESS FAILURE

Java

- web

```
AdministrationServiceRequest rsr = new AdministrationServiceRequest();
rsr.setLoginId("admin@yellowfin.com.au");
rsr.setPassword("test");
rsr.setOrgId(new Integer(1));

rsr.setFunction("UPLOADLICENCE");
```

- Base64util

```
byte[] lic = com.hof.util.Base64.decode("Base64 Encoded String of licence file");
rsr.setBinaryData(lic);
```

-

```
AdministrationServiceResponse rs = adminService.remoteAdministrationCall(rsr);
```

web

- StatusCode

web

1. **ws_uploadlicence.jsp**
2. rootYellowfin/appserver/webapps/ROOT
- 3.
4. **http://<host>:<port>/ws_uploadlicence.jsp**

```

<%
/*      ws_uploadlicence.jsp      */
%>
<%@ page language="java" contentType="text/html; charset=UTF-8" %>
<%@ page import="com.hof.util.*, java.util.*, java.text.*" %>
<%@ page import="com.hof.web.form.*" %>
<%@ page import="com.hof.mi.web.service.*" %>

AdministrationServiceResponse rs = null;
AdministrationServiceRequest rsr = new AdministrationServiceRequest();
AdministrationServiceService ts = new AdministrationServiceServiceLocator("localhost", 8080, "/services
/AdministrationService", false);
AdministrationServiceSoapBindingStub rssbs = (AdministrationServiceSoapBindingStub) ts.
getAdministrationService();

rsr.setLoginId("admin@yellowfin.com.au");
rsr.setPassword("test");
rsr.setOrgId(new Integer(1));
rsr.setFunction("UPLOADLICENCE");

// Licence needs to be a byte array. An easy way to do this is to encode it to Base64 and use the util method
to convert it
byte[] lic = com.hof.util.Base64.decode("Base64 Encoded String of licence file");
rsr.setBinaryData(lic);

rs = rssbs.remoteAdministrationCall(rsr);

if ("SUCCESS".equals(rs.getStatusCode())) {
    out.write("Success");
} else {
    out.write(rs.getStatusCode());
    out.write(rs.toString());
}

```

web

LoginId	String	Yellowfin WebIDIDID Yellowfin Yellowfin Web
Password	String	
OrgId	Integer	YellowfinID1
Function	String	Web DELGEOPACK
OrgRef	String	ID
Parameters	String	UUID

SOAP XML

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:web="http://webservices.web.mi.hof.com/">
  <soapenv:Header/>
  <soapenv:Body>
    <web:remoteAdministrationCall>
      <arg0>
        <loginId>admin@yellowfin.com.au</loginId>
        <password>test</password>
        <orgId>1</orgId>
        <function>DELGEOPACK</function>
        <parameters>
          <string>db1cf6f7-3561-45a0-b6bc-ff7b94117741</string>
        </parameters>
      </arg0>
    </web:remoteAdministrationCall>
  </soapenv:Body>
</soapenv:Envelope>

```

StatusCode	String	Web
		<ul style="list-style-type: none"> • SUCCESS • FAILURE

SOAP

```

<S:Envelope xmlns:S="http://schemas.xmlsoap.org/soap/envelope/">
  <S:Body>
    <ns2:remoteAdministrationCallResponse xmlns:ns2="http://webservices.web.mi.hof.com/">
      <return>
        <errorCode>0</errorCode>
        <messages>Successfully Authenticated User: admin@yellowfin.com.au</messages>
        <messages>Web Service Request Complete</messages>
        <sessionId>9a3871407a758998334a2d780c44f9ae</sessionId>
        <statusCode>SUCCESS</statusCode>
      </return>
    </ns2:remoteAdministrationCallResponse>
  </S:Body>
</S:Envelope>

```

Java

- web

```

AdministrationServiceRequest rsr = new AdministrationServiceRequest();
rsr.setLoginId("admin@yellowfin.com.au");
rsr.setPassword("test");
rsr.setOrgId(new Integer(1));

rsr.setFunction("DELGEOPACK");

```

- UUID

```
rsr.setParameters(new String[] { "db1cf6f7-3561-45a0-b6bc-ff7b94117741" } );
```

-

```
AdministrationServiceResponse rs = adminService.remoteAdministrationCall(rsr);
```

web

- StatusCode

web

1. **ws_delgeopack.jsp**
2. rootYellowfin/appserver/webapps/ROOT
- 3.
4. **http://<host>:<port>/ws_delgeopack.jsp**

```
<%
/*      ws_delgeopack.jsp      */
%>
<%@ page language="java" contentType="text/html; charset=UTF-8" %>
<%@ page import="com.hof.util.*, java.util.*, java.text.*" %>
<%@ page import="com.hof.web.form.*" %>
<%@ page import="com.hof.mi.web.service.*" %>

AdministrationServiceResponse rs = null;
AdministrationServiceRequest rsr = new AdministrationServiceRequest();
AdministrationServiceService ts = new AdministrationServiceServiceLocator("localhost", 8080, "/services
/AdministrationService", false);
AdministrationServiceSoapBindingStub rssbs = (AdministrationServiceSoapBindingStub) ts.
getAdministrationService();

rsr.setLoginId("admin@yellowfin.com.au");
rsr.setPassword("test");
rsr.setOrgId(new Integer(1));
rsr.setFunction("DELGEOPACK");
rsr.setParameters(new String[] { "db1cf6f7-3561-45a0-b6bc-ff7b94117741" } );

rs = rssbs.remoteAdministrationCall(rsr);

if ("SUCCESS".equals(rs.getStatusCode())) {
    out.write("Success");
} else {
    out.write("Failure");
    out.write(rs.toString());
}
```

webIDUUID

--	--	--

LoginId	String	Yellowfin WebIDIDID Yellowfin Yellowfin Web
Password	String	
OrgId	Integer	YellowfinID1
Function	String	Web REFRESH_DASHBOARD_CACHED_FILTERS
Parameters	String[]	IDUUIDstring

StatusCode	String	Web <ul style="list-style-type: none"> • SUCCESS • FAILURE

Java

- web

```
AdministrationServiceRequest rsr = new AdministrationServiceRequest();
rsr.setLoginId("admin@yellowfin.com.au");
rsr.setPassword("test");
rsr.setOrgId(new Integer(1));

rsr.setFunction("REFRESH_DASHBOARD_CACHED_FILTERS");
```

- UUID

```
rsr.setParameters(new String[] { "61209" });
```

-

```
AdministrationServiceResponse rs = adminService.remoteAdministrationCall(rsr);
```

web

- StatusCode

web

1. **ws_refreshdashboardfilters.jsp**
2. rootYellowfin/appserver/webapps/ROOT
- 3.
4. **http://<host>:<port>/ws_refreshdashboardfilters.jsp**


```

<%
/*      ws_refreshdashboardfilters.jsp      */
%>
<%@ page language="java" contentType="text/html; charset=UTF-8" %>
<%@ page import="com.hof.util.*, java.util.*, java.text.*" %>
<%@ page import="com.hof.web.form.*" %>
<%@ page import="com.hof.mi.web.service.*" %>

AdministrationServiceResponse rs = null;
AdministrationServiceRequest rsr = new AdministrationServiceRequest();
AdministrationServiceService ts = new AdministrationServiceServiceLocator("localhost", 8080, "/services
/AdministrationService", false);
AdministrationServiceSoapBindingStub rssbs = (AdministrationServiceSoapBindingStub) ts.
getAdministrationService();

rsr.setLoginId("admin@yellowfin.com.au");
rsr.setPassword("test");
rsr.setOrgId(new Integer(1));
rsr.setFunction("REFRESH_DASHBOARD_CACHED_FILTERS");

// Provide the Dashboard UUID
rsr.setParameters(new String[] { "61209" });

rs = rssbs.remoteAdministrationCall(rsr);

if ("SUCCESS".equals(rs.getStatusCode())) {
    out.write("Success");
} else {
    out.write(rs.getStatusCode());
    out.write(rs.toString());
}

```

webIDUUID

LoginId	String	Yellowfin WebIDIDID Yellowfin Yellowfin Web
Password	String	
OrgId	Integer	YellowfinID1
Function	String	Web REFRESH_VIEW_CACHED_FILTERS
Parameters	String[]	IDUUIDstring

StatusCode	String	Web <ul style="list-style-type: none"> SUCCESS FAILURE

Java

- web

```
AdministrationServiceRequest rsr = new AdministrationServiceRequest();
rsr.setLoginId("admin@yellowfin.com.au");
rsr.setPassword("test");
rsr.setOrgId(new Integer(1));

rsr.setFunction("REFRESH_VIEW_CACHED_FILTERS");
```

- UUID

```
rsr.setParameters(new String[] { "61209" });
```

-

```
AdministrationServiceResponse rs = adminService.remoteAdministrationCall(rsr);
```

web

- StatusCode

web

1. **ws_refreshviewfilters.jsp**
2. rootYellowfin/appserver/webapps/ROOT
- 3.
4. **http://<host>:<port>/ws_refreshviewfilters.jsp**

```

<%
/*      ws_refreshviewfilters.jsp      */
%>
<%@ page language="java" contentType="text/html; charset=UTF-8" %>
<%@ page import="com.hof.util.*, java.util.*, java.text.*" %>
<%@ page import="com.hof.web.form.*" %>
<%@ page import="com.hof.mi.web.service.*" %>

AdministrationServiceResponse rs = null;
AdministrationServiceRequest rsr = new AdministrationServiceRequest();
AdministrationServiceService ts = new AdministrationServiceServiceLocator("localhost", 8080, "/services
/AdministrationService", false);
AdministrationServiceSoapBindingStub rssbs = (AdministrationServiceSoapBindingStub) ts.
getAdministrationService();

rsr.setLoginId("admin@yellowfin.com.au");
rsr.setPassword("test");
rsr.setOrgId(new Integer(1));
rsr.setFunction("REFRESH_VIEW_CACHED_FILTERS");

// Provide the View UUID
rsr.setParameters(new String[] { "61209" });

rs = rssbs.remoteAdministrationCall(rsr);

if ("SUCCESS".equals(rs.getStatusCode())) {
    out.write("Success");
} else {
    out.write(rs.getStatusCode());
    out.write(rs.toString());
}

```

LoginId	String	Yellowfin WebIDID Yellowfin Yellowfin Web
Password	String	
OrgId	Integer	YellowfinID1
Function	String	Web REFRESH_SOURCE_FILTERS
Parameters	String[]	ID reportviewsourceSourceId

SOAP XML

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:web="http://webservices.web.mi.hof.com/">
  <soapenv:Header/>
  <soapenv:Body>
    <web:remoteAdministrationCall>
      <arg0>
        <loginId>admin@yellowfin.com.au</loginId>
        <password>test</password>
        <orgId>1</orgId>
        <function>REFRESH_SOURCE_FILTERS</function>
        <parameters>54700</parameters>
      </arg0>
    </web:remoteAdministrationCall>
  </soapenv:Body>
</soapenv:Envelope>

```

Status Code	String	Web
		<ul style="list-style-type: none"> SUCCESS FAILURE

SOAP

```

<S:Envelope xmlns:S="http://schemas.xmlsoap.org/soap/envelope/">
  <S:Body>
    <ns2:remoteAdministrationCallResponse xmlns:ns2="http://webservices.web.mi.hof.com/">
      <return>
        <errorCode>0</errorCode>
        <messages>Successfully Authenticated User: admin@yellowfin.com.au</messages>
        <messages>Web Service Request Complete</messages>
        <sessionId>13143fc20f2d7eeb52ec27f588a9942f</sessionId>
        <statusCode>SUCCESS</statusCode>
      </return>
    </ns2:remoteAdministrationCallResponse>
  </S:Body>
</S:Envelope>

```

Java

- web

```

AdministrationServiceRequest rsr = new AdministrationServiceRequest();
rsr.setLoginId("admin@yellowfin.com.au");
rsr.setPassword("test");
rsr.setOrgId(new Integer(1));

rsr.setFunction("REFRESH_SOURCE_FILTERS");

```

- ID

```
rsr.setParameters(new String[] { "54700" });
```

-

```
AdministrationServiceResponse rs = adminService.remoteAdministrationCall(rsr);
```

web

- StatusCode

```
if ("SUCCESS".equals(rs.getStatusCode()) ) {  
    out.write("<br>Success");  
  
}  
else {  
    out.write("<br>Failure");  
    out.write(" Code: " + rs.getErrorCode());  
}
```

web

1. **ws_refresh_source_filters.jsp**
2. rootYellowfin/appserver/webapps/ROOT
- 3.
4. **http://<host>:<port>/ws_refresh_source_filters.jsp**

```

<%
/*          ws_refresh_source_filters.jsp          */
%>
<%@ page language="java" contentType="text/html; charset=UTF-8" %>
<%@ page import="com.hof.util.*, java.util.*, java.text.*" %>
<%@ page import="com.hof.web.form.*" %>
<%@ page import="com.hof.mi.web.service.*" %>
<%

AdministrationServiceService s_adm = new AdministrationServiceServiceLocator("localhost",8080, "/services
/AdministrationService", false);          // adjust host and port number
AdministrationServiceSoapBindingStub adminService = (AdministrationServiceSoapBindingStub) s_adm.
getAdministrationService();
AdministrationServiceRequest rsr = new AdministrationServiceRequest();

rsr.setLoginId("admin@yellowfin.com.au");          // provide your Yellowfin web services admin account
rsr.setPassword("test");          // set to the password of the account above
rsr.setOrgId(1);
rsr.setFunction("REFRESH_SOURCE_FILTERS");

rsr.setParameters(new String[] {"54700"});

AdministrationServiceResponse rs = adminService.remoteAdministrationCall(rsr);

if ("SUCCESS".equals(rs.getStatusCode()) ) {
    out.write("<br>Success");
}
else {
    out.write("<br>Failure");
    out.write(" Code: " + rs.getErrorCode());
}
%>

```

webYellowfin

LoginId	String	Yellowfin WebIDIDID Yellowfin Yellowfin Web
Password	String	
OrgId	Integer	YellowfinID1
Function	String	Web RELOADCODES
Parameters	String[]	<ul style="list-style-type: none"> • NAME • PARAMETER • REFCODE • ROLEFN • ORGRELATIONSHIPSIDID

--	--	--

StatusCode	String	Web <ul style="list-style-type: none"> • SUCCESS • FAILURE
------------	--------	--

Java

- web

```
AdministrationServiceRequest rsr = new AdministrationServiceRequest();
rsr.setLoginId("admin@yellowfin.com.au");
rsr.setPassword("test");
rsr.setOrgId(new Integer(1));

rsr.setFunction("RELOADCODES");
```

- Yellowfin

```
rsr.setParameters(new String[] {
    "ADDRESS", "NAME", "PARAMETER", "REFCODE", "ROLEFN", "ORGRELATIONSHIPS"
});
```

-

```
AdministrationServiceResponse rs = adminService.remoteAdministrationCall(rsr);
```

web

- StatusCode

web

1. **ws_reloadcodes.jsp**
2. rootYellowfin/appserver/webapps/ROOT
- 3.
4. **http://<host>:<port>/ws_reloadcodes.jsp**

```

<%
/*      ws_reloadcodes.jsp      */
%>
<%@ page language="java" contentType="text/html; charset=UTF-8" %>
<%@ page import="com.hof.util.*, java.util.*, java.text.*" %>
<%@ page import="com.hof.web.form.*" %>
<%@ page import="com.hof.mi.web.service.*" %>

AdministrationServiceResponse rs = null;
AdministrationServiceRequest rsr = new AdministrationServiceRequest();
AdministrationServiceService ts = new AdministrationServiceServiceLocator("localhost", 8080, "/services
/AdministrationService", false);
AdministrationServiceSoapBindingStub rssbs = (AdministrationServiceSoapBindingStub) ts.
getAdministrationService();

rsr.setLoginId("admin@yellowfin.com.au");
rsr.setPassword("test");
rsr.setOrgId(new Integer(1));
rsr.setFunction("RELOADCODES");

rsr.setParameters(new String[] {
    "ADDRESS", "NAME", "PARAMETER", "REFCODE", "ROLEFN", "ORGRELATIONSHIPS"
});

rs = rssbs.remoteAdministrationCall(rsr);

if ("SUCCESS".equals(rs.getStatusCode())) {
    out.write("Success </br>");
} else {
    out.write(rs.getStatusCode());
    out.write(rs.toString());
}

```

webYellowfin

LoginId	String	Yellowfin WebIDIDID Yellowfin Yellowfin Web
Password	String	
OrgId	Integer	YellowfinID1
Function	String	Web GEOMETRYFLUSH
Parameters	String[]	ID

StatusCode	String	Web <ul style="list-style-type: none"> • SUCCESS • FAILURE

Java

- web

```
AdministrationServiceRequest rsr = new AdministrationServiceRequest();
rsr.setLoginId("admin@yellowfin.com.au");
rsr.setPassword("test");
rsr.setOrgId(new Integer(1));

rsr.setFunction("GEOMETRYFLUSH");
```

-

```
rsr.setParameters(new String[] {
    "70103", "70104"
});
```

-

```
AdministrationServiceResponse rs = adminService.remoteAdministrationCall(rsr);
```

web

- StatusCode

web

1. **ws_geometryflush.jsp**
2. rootYellowfin/appserver/webapps/ROOT
- 3.
4. **http://<host>:<port>/ws_geometryflush.jsp**

```

<%
/*      ws_geometryflush.jsp      */
%>
<%@ page language="java" contentType="text/html; charset=UTF-8" %>
<%@ page import="com.hof.util.*, java.util.*, java.text.*" %>
<%@ page import="com.hof.web.form.*" %>
<%@ page import="com.hof.mi.web.service.*" %>

AdministrationServiceResponse rs = null;
AdministrationServiceRequest rsr = new AdministrationServiceRequest();
AdministrationServiceService ts = new AdministrationServiceServiceLocator("localhost", 8080, "/services
/AdministrationService", false);
AdministrationServiceSoapBindingStub rssbs = (AdministrationServiceSoapBindingStub) ts.
getAdministrationService();

rsr.setLoginId("admin@yellowfin.com.au");
rsr.setPassword("test");
rsr.setOrgId(new Integer(1));
rsr.setFunction("GEOMETRYFLUSH");

//View IDs from which geometry objects are to be removed
rsr.setParameters(new String[] {
    "70103", "70104"
});

rs = rssbs.remoteAdministrationCall(rsr);

if ("SUCCESS".equals(rs.getStatusCode())) {
    out.write("Success </br>");
} else {
    out.write(rs.getStatusCode());
    out.write(rs.toString());
}

```

webYellowfin

LoginId	String	Yellowfin WebIDIDID Yellowfin Yellowfin Web
Password	String	
OrgId	Integer	YellowfinID1
Function	String	Web REMOVEVIEW
Parameters	String[]	ID

StatusCode	String	Web <ul style="list-style-type: none"> • SUCCESS • FAILURE

Java

- web

```
AdministrationServiceRequest rsr = new AdministrationServiceRequest();
rsr.setLoginId("admin@yellowfin.com.au");
rsr.setPassword("test");
rsr.setOrgId(new Integer(1));

rsr.setFunction("REMOVEVIEW");
```

-

```
rsr.setParameters(new String[] {
    "70103", "70104"
});
```

-

```
AdministrationServiceResponse rs = adminService.remoteAdministrationCall(rsr);
```

web

- StatusCode

web

1. **ws_removeview.jsp**
2. rootYellowfin/appserver/webapps/ROOT
- 3.
4. **http://<host>:<port>/ws_removeview.jsp**

```

<%
/*      ws_removeview.jsp      */
%>
<%@ page language="java" contentType="text/html; charset=UTF-8" %>
<%@ page import="com.hof.util.*, java.util.*, java.text.*" %>
<%@ page import="com.hof.web.form.*" %>
<%@ page import="com.hof.mi.web.service.*" %>

AdministrationServiceResponse rs = null;
AdministrationServiceRequest rsr = new AdministrationServiceRequest();
AdministrationServiceService ts = new AdministrationServiceServiceLocator("localhost", 8080, "/services
/AdministrationService", false);
AdministrationServiceSoapBindingStub rssbs = (AdministrationServiceSoapBindingStub) ts.
getAdministrationService();

rsr.setLoginId("admin@yellowfin.com.au");
rsr.setPassword("test");
rsr.setOrgId(new Integer(1));
rsr.setFunction("REMOVEVIEW");

//View IDs whose caches are to be removed
rsr.setParameters(new String[] {
    "70103", "70104"
});

rs = rssbs.remoteAdministrationCall(rsr);

if ("SUCCESS".equals(rs.getStatusCode())) {
    out.write("Success </br>");
} else {
    out.write(rs.getStatusCode());
    out.write(rs.toString());
}

```

web

LoginId	String	Yellowfin WebIDIDID Yellowfin Yellowfin Web
Password	String	
OrgId	Integer	YellowfinID1
Function	String	Web FLUSHREPORT
Parameters	String[]	IDID

SOAP XML

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:web="http://webservices.web.mi.hof.com/">
  <soapenv:Header/>
  <soapenv:Body>
    <web:remoteAdministrationCall>
      <arg0>
        <loginId>admin@yellowfin.com.au</loginId>
        <password>test</password>
        <orgId>1</orgId>
        <function>FLUSHREPORT</function>
        <parameters>65254</parameters>
      </arg0>
    </web:remoteAdministrationCall>
  </soapenv:Body>
</soapenv:Envelope>

```

Status Code	String	Web
		<ul style="list-style-type: none"> SUCCESS FAILURE

SOAP

```

<S:Envelope xmlns:S="http://schemas.xmlsoap.org/soap/envelope/">
  <S:Body>
    <ns2:remoteAdministrationCallResponse xmlns:ns2="http://webservices.web.mi.hof.com/">
      <return>
        <errorCode>0</errorCode>
        <messages>Successfully Authenticated User: admin@yellowfin.com.au</messages>
        <messages>Web Service Request Complete</messages>
        <sessionId>5a29f6eaf3ee084b00c76dal24f31fe0</sessionId>
        <statusCode>SUCCESS</statusCode>
      </return>
    </ns2:remoteAdministrationCallResponse>
  </S:Body>
</S:Envelope>

```

Java

- web

```

AdministrationServiceRequest rsr = new AdministrationServiceRequest();
rsr.setLoginId("admin@yellowfin.com.au");
rsr.setPassword("test");
rsr.setOrgId(new Integer(1));

rsr.setFunction("FLUSHREPORT");

```

- ID

```
rsr.setParameters(new String[] {  
    "56401"  
});
```

-

```
AdministrationServiceResponse rs = adminService.remoteAdministrationCall(rsr);
```

web

- StatusCode

```
if ("SUCCESS".equals(rs.getStatusCode()) ) {  
    out.write("<br>Success");  
}  
else {  
    out.write("<br>Failure");  
    out.write(" Code: " + rs.getErrorCode());  
}
```

web

1. **ws_flushreport.jsp**
2. rootYellowfin/appserver/webapps/ROOT
- 3.
4. **http://<host>:<port>/ws_flushreport.jsp**

```

<%
/*          ws_FLUSHREPORT.jsp          */
%>
<%@ page language="java" contentType="text/html; charset=UTF-8" %>
<%@ page import="com.hof.util.*, java.util.*, java.text.*" %>
<%@ page import="com.hof.web.form.*" %>
<%@ page import="com.hof.mi.web.service.*" %>
<%

AdministrationServiceService s_adm = new AdministrationServiceServiceLocator("localhost",8080, "/services
/AdministrationService", false);          // adjust host and port number
AdministrationServiceSoapBindingStub adminService = (AdministrationServiceSoapBindingStub) s_adm.
getAdministrationService();
AdministrationServiceRequest rsr = new AdministrationServiceRequest();

rsr.setLoginId("admin@yellowfin.com.au");          // provide your Yellowfin webservices admin account
rsr.setPassword("test");          // set to the password of the account above
rsr.setOrgId(1);
rsr.setFunction("FLUSHREPORT");
rsr.setParameters(new String[] {"65254"});

AdministrationServiceResponse rs = adminService.remoteAdministrationCall(rsr);

if ("SUCCESS".equals(rs.getStatusCode()) ) {
    out.write("<br>Success");
}
else {
    out.write("<br>Failure");
    out.write(" Code: " + rs.getErrorCode());
}
%>

```

webYellowfin

LoginId	String	Yellowfin WebIDIDID Yellowfin Yellowfin Web
Password	String	
OrgId	Integer	YellowfinID1
Function	String	Web FLUSHTAB
Parameters	String[]	IDID

SOAP XML

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:web="http://webservices.web.mi.hof.com/">
  <soapenv:Header/>
  <soapenv:Body>
    <web:remoteAdministrationCall>
      <arg0>
        <loginId>admin@yellowfin.com.au</loginId>
        <password>test</password>
        <orgId>1</orgId>
        <function>FLUSHTAB</function>
        <parameters>65254</parameters>
      </arg0>
    </web:remoteAdministrationCall>
  </soapenv:Body>
</soapenv:Envelope>

```

Status Code	String	Web
		<ul style="list-style-type: none"> • SUCCESS • FAILURE

SOAP

```

<S:Envelope xmlns:S="http://schemas.xmlsoap.org/soap/envelope/">
  <S:Body>
    <ns2:remoteAdministrationCallResponse xmlns:ns2="http://webservices.web.mi.hof.com/">
      <return>
        <errorCode>0</errorCode>
        <messages>Successfully Authenticated User: admin@yellowfin.com.au</messages>
        <messages>Web Service Request Complete</messages>
        <sessionId>5a29f6eaf3ee084b00c76dal24f31fe0</sessionId>
        <statusCode>SUCCESS</statusCode>
      </return>
    </ns2:remoteAdministrationCallResponse>
  </S:Body>
</S:Envelope>

```

Java

- web

```

AdministrationServiceRequest rsr = new AdministrationServiceRequest();
rsr.setLoginId("admin@yellowfin.com.au");
rsr.setPassword("test");
rsr.setOrgId(new Integer(1));

rsr.setFunction("FLUSHTAB");

```

- ID


```
rsr.setParameters(new String[] { "65254" });
```

-

```
AdministrationServiceResponse rs = adminService.remoteAdministrationCall(rsr);
```

web

- StatusCode

```
if ("SUCCESS".equals(rs.getStatusCode()) ) {  
    out.write("<br>Success");  
  
}  
else {  
    out.write("<br>Failure");  
    out.write(" Code: " + rs.getErrorCode());  
}
```

web

1. **ws_flushtab.jsp**
2. rootYellowfin/appserver/webapps/ROOT
- 3.
4. **http://<host>:<port>/ws_flushtab.jsp**

```

<%
/*          ws_flushtab.jsp          */
%>
<%@ page language="java" contentType="text/html; charset=UTF-8" %>
<%@ page import="com.hof.util.*, java.util.*, java.text.*" %>
<%@ page import="com.hof.web.form.*" %>
<%@ page import="com.hof.mi.web.service.*" %>
<%

AdministrationServiceService s_adm = new AdministrationServiceServiceLocator("localhost",8080, "/services
/AdministrationService", false);          // adjust host and port number
AdministrationServiceSoapBindingStub adminService = (AdministrationServiceSoapBindingStub) s_adm.
getAdministrationService();
AdministrationServiceRequest rsr = new AdministrationServiceRequest();

rsr.setLoginId("admin@yellowfin.com.au");          // provide your Yellowfin web services admin account
rsr.setPassword("test");          // set to the password of the account above
rsr.setOrgId(1);
rsr.setFunction("FLUSHTAB");
rsr.setParameters(new String[] {"65254"});

AdministrationServiceResponse rs = adminService.remoteAdministrationCall(rsr);

if ("SUCCESS".equals(rs.getStatusCode()) ) {
    out.write("<br>Success");
}
else {
    out.write("<br>Failure");
    out.write(" Code: " + rs.getErrorCode());
}
%>

```

web

LoginId	String	Yellowfin WebIDID Yellowfin Yellowfin Web
Password	String	
OrgId	Integer	YellowfinID1
Function	String	Web FLUSHPERSON
Parameters	String[]	IDID

SOAP XML

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:web="http://webservices.web.mi.hof.com/">
  <soapenv:Header/>
  <soapenv:Body>
    <web:remoteAdministrationCall>
      <arg0>
        <loginId>admin@yellowfin.com.au</loginId>
        <password>test</password>
        <orgId>1</orgId>
        <function>FLUSHPERSON</function>
        <parameters>65254</parameters>
      </arg0>
    </web:remoteAdministrationCall>
  </soapenv:Body>
</soapenv:Envelope>

```

Status Code	String	Web
		<ul style="list-style-type: none"> • SUCCESS • FAILURE

SOAP

```

<S:Envelope xmlns:S="http://schemas.xmlsoap.org/soap/envelope/">
  <S:Body>
    <ns2:remoteAdministrationCallResponse xmlns:ns2="http://webservices.web.mi.hof.com/">
      <return>
        <errorCode>0</errorCode>
        <messages>Successfully Authenticated User: admin@yellowfin.com.au</messages>
        <messages>Web Service Request Complete</messages>
        <sessionId>5a29f6eaf3ee084b00c76dal24f31fe0</sessionId>
        <statusCode>SUCCESS</statusCode>
      </return>
    </ns2:remoteAdministrationCallResponse>
  </S:Body>
</S:Envelope>

```

Java

- web

```

AdministrationServiceRequest rsr = new AdministrationServiceRequest();
rsr.setLoginId("admin@yellowfin.com.au");
rsr.setPassword("test");
rsr.setOrgId(new Integer(1));

rsr.setFunction("FLUSHTAB");

```

- ID

```
rsr.setParameters(new String[] { "65254" });
```

-

```
AdministrationServiceResponse rs = adminService.remoteAdministrationCall(rsr);
```

web

- StatusCode

```
if ("SUCCESS".equals(rs.getStatusCode()) ) {  
    out.write("<br>Success");  
}  
else {  
    out.write("<br>Failure");  
    out.write(" Code: " + rs.getErrorCode());  
}
```

web

1. **ws_flushperson.jsp**
2. rootYellowfin/appserver/webapps/ROOT
- 3.
4. **http://<host>:<port>/ws_flushperson.jsp**

```

<%
/*          ws_flushperson.jsp          */
%>
<%@ page language="java" contentType="text/html; charset=UTF-8" %>
<%@ page import="com.hof.util.*, java.util.*, java.text.*" %>
<%@ page import="com.hof.web.form.*" %>
<%@ page import="com.hof.mi.web.service.*" %>
<%

AdministrationServiceService s_adm = new AdministrationServiceServiceLocator("localhost",8080, "/services
/AdministrationService", false);          // adjust host and port number
AdministrationServiceSoapBindingStub adminService = (AdministrationServiceSoapBindingStub) s_adm.
getAdministrationService();
AdministrationServiceRequest rsr = new AdministrationServiceRequest();

rsr.setLoginId("admin@yellowfin.com.au");          // provide your Yellowfin webservices admin account
rsr.setPassword("test");          // set to the password of the account above
rsr.setOrgId(1);
rsr.setFunction("FLUSHPERSON");
rsr.setParameters(new String[] {"65254"});

AdministrationServiceResponse rs = adminService.remoteAdministrationCall(rsr);

if ("SUCCESS".equals(rs.getStatusCode()) ) {
    out.write("<br>Success");
}
else {
    out.write("<br>Failure");
    out.write(" Code: " + rs.getErrorCode());
}
%>

```

webYellowfin

LoginId	String	Yellowfin WebIDIDID Yellowfin Yellowfin Web
Password	String	
OrgId	Integer	YellowfinID1
Function	String	Web RELOADLICENCE

SOAP XML

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:web="http://webservices.web.mi.hof.com/">
  <soapenv:Header/>
  <soapenv:Body>
    <web:remoteAdministrationCall>
      <arg0>
        <loginId>admin@yellowfin.com.au</loginId>
        <password>test</password>
        <orgId>1</orgId>
        <function>RELOADLICENCE</function>
      </arg0>
    </web:remoteAdministrationCall>
  </soapenv:Body>
</soapenv:Envelope>

```

Status Code	String	Web
		<ul style="list-style-type: none"> • SUCCESS • FAILURE

SOAP XML

```

<S:Envelope xmlns:S="http://schemas.xmlsoap.org/soap/envelope/">
  <S:Body>
    <ns2:remoteAdministrationCallResponse xmlns:ns2="http://webservices.web.mi.hof.com/">
      <return>
        <errorCode>0</errorCode>
        <messages>Successfully Authenticated User: admin@yellowfin.com.au</messages>
        <messages>Web Service Request Complete</messages>
        <sessionId>c4d0b6dec61e890a417132f05c3f0fbc</sessionId>
        <statusCode>SUCCESS</statusCode>
      </return>
    </ns2:remoteAdministrationCallResponse>
  </S:Body>
</S:Envelope>

```

Java

- web

```

AdministrationServiceRequest rsr = new AdministrationServiceRequest();
rsr.setLoginId("admin@yellowfin.com.au");
rsr.setPassword("test");
rsr.setOrgId(new Integer(1));

rsr.setFunction("RELOADLICENCE");

```

-

```
AdministrationServiceResponse rs = adminService.remoteAdministrationCall(rsr);
```

web

- StatusCode

web

1. **ws_reloadlicene.jsp**
2. rootYellowfin/appserver/webapps/ROOT
- 3.
4. **http://<host>:<port>/ws_reloadlicene.jsp**

```
<%
/*          ws_reloadlicene.jsp          */
%>
<%@ page language="java" contentType="text/html; charset=UTF-8" %>
<%@ page import="com.hof.util.*, java.util.*, java.text.*" %>
<%@ page import="com.hof.web.form.*" %>
<%@ page import="com.hof.mi.web.service.*" %>

AdministrationServiceResponse rs = null;
AdministrationServiceRequest rsr = new AdministrationServiceRequest();
AdministrationServiceService ts = new AdministrationServiceServiceLocator("localhost", 8080, "/services
/AdministrationService", false);
AdministrationServiceSoapBindingStub rssbs = (AdministrationServiceSoapBindingStub) ts.
getAdministrationService();

rsr.setLoginId("admin@yellowfin.com.au");
rsr.setPassword("test");
rsr.setOrgId(new Integer(1));
rsr.setFunction("RELOADLICENCE");

rs = rssbs.remoteAdministrationCall(rsr);

if ("SUCCESS".equals(rs.getStatusCode())) {
    out.write("Success </br>");
} else {
    out.write(rs.getStatusCode());
    out.write(rs.toString());
}
```

web

LoginId	String	Yellowfin WebIDIDID YellowfinYellowfin Web
Password	String	
OrgId	Integer	YellowfinID1
Function	String	WebCLOSECONNECTIONPOOL

Parameters	String[]	ID
------------	----------	----

SOAP XML

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:web="http://webservices.web.mi.hof.com/">
  <soapenv:Header/>
  <soapenv:Body>
    <web:remoteAdministrationCall>
      <arg0>
        <loginId>admin@yellowfin.com.au</loginId>
        <password>test</password>
        <orgId>1</orgId>
        <function>CLOSECONNECTIONPOOL</function>
        <parameters>74909</parameters>
      </arg0>
    </web:remoteAdministrationCall>
  </soapenv:Body>
</soapenv:Envelope>
```

StatusCode	String	Web <ul style="list-style-type: none"> • SUCCESS • FAILURE

SOAP XML

```
<S:Envelope xmlns:S="http://schemas.xmlsoap.org/soap/envelope/">
  <S:Body>
    <ns2:remoteAdministrationCallResponse xmlns:ns2="http://webservices.web.mi.hof.com/">
      <return>
        <errorCode>0</errorCode>
        <messages>Successfully Authenticated User: admin@yellowfin.com.au</messages>
        <messages>Web Service Request Complete</messages>
        <sessionId>5a29f6eaf3ee084b00c76da124f31fe0</sessionId>
        <statusCode>SUCCESS</statusCode>
      </return>
    </ns2:remoteAdministrationCallResponse>
  </S:Body>
</S:Envelope>
```

Java

- web


```
AdministrationServiceRequest rsr = new AdministrationServiceRequest();
rsr.setLoginId("admin@yellowfin.com.au");
rsr.setPassword("test");
rsr.setOrgId(new Integer(1));

rsr.setFunction("CLOSECONNECTIONPOOL");
```

- ID

```
rsr.setParameters(new String[] { "74909" });
```

-

```
AdministrationServiceResponse rs = adminService.remoteAdministrationCall(rsr);
```

web

- StatusCode

```
if ("SUCCESS".equals(rs.getStatusCode()) ) {
    out.write("<br>Success");
}
else {
    out.write("<br>Failure");
    out.write(" Code: " + rs.getErrorCode());
}
```

web

1. **ws_closeconnectionpool.jsp**
2. rootYellowfin/appserver/webapps/ROOT
- 3.
4. **http://<host>:<port>/ws_closeconnectionpool.jsp**

```

<%
/*          ws_closeconnectionpool.jsp          */
%>
<%@ page language="java" contentType="text/html; charset=UTF-8" %>
<%@ page import="com.hof.util.*, java.util.*, java.text.*" %>
<%@ page import="com.hof.web.form.*" %>
<%@ page import="com.hof.mi.web.service.*" %>
<%

AdministrationServiceService s_adm = new AdministrationServiceServiceLocator("localhost",8080, "/services
/AdministrationService", false);          // adjust host and port number
AdministrationServiceSoapBindingStub adminService = (AdministrationServiceSoapBindingStub) s_adm.
getAdministrationService();
AdministrationServiceRequest rsr = new AdministrationServiceRequest();

rsr.setLoginId("admin@yellowfin.com.au");          // provide your Yellowfin web services admin account
rsr.setPassword("test");          // set to the password of the account above
rsr.setOrgId(1);
rsr.setFunction("CLOSECONNECTIONPOOL");
rsr.setParameters(new String[] {"74909"});

AdministrationServiceResponse rs = adminService.remoteAdministrationCall(rsr);

if ("SUCCESS".equals(rs.getStatusCode()) ) {
    out.write("<br>Success");
}
else {
    out.write("<br>Failure");
    out.write(" Code: " + rs.getErrorCode());
}
%>

```

web

LoginId	String	Yellowfin WebIDIDID Yellowfin Yellowfin Web
Password	String	
OrgId	Integer	YellowfinID1
Function	String	Web FLUSHTEXTENTITY
Parameters	String[]	IDID

SOAP XML

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:web="http://webservices.web.mi.hof.com/">
  <soapenv:Header/>
  <soapenv:Body>
    <web:remoteAdministrationCall>
      <arg0>
        <loginId>admin@yellowfin.com.au</loginId>
        <password>test</password>
        <orgId>1</orgId>
        <function>FLUSHTEXTENTITY</function>
        <parameters>65254</parameters>
      </arg0>
    </web:remoteAdministrationCall>
  </soapenv:Body>
</soapenv:Envelope>

```

Status Code	String	Web
		<ul style="list-style-type: none"> • SUCCESS • FAILURE

SOAP XML

```

<S:Envelope xmlns:S="http://schemas.xmlsoap.org/soap/envelope/">
  <S:Body>
    <ns2:remoteAdministrationCallResponse xmlns:ns2="http://webservices.web.mi.hof.com/">
      <return>
        <errorCode>0</errorCode>
        <messages>Successfully Authenticated User: admin@yellowfin.com.au</messages>
        <messages>Web Service Request Complete</messages>
        <sessionId>5a29f6eaf3ee084b00c76dal24f31fe0</sessionId>
        <statusCode>SUCCESS</statusCode>
      </return>
    </ns2:remoteAdministrationCallResponse>
  </S:Body>
</S:Envelope>

```

Java

- web

```

AdministrationServiceRequest rsr = new AdministrationServiceRequest();
rsr.setLoginId("admin@yellowfin.com.au");
rsr.setPassword("test");
rsr.setOrgId(new Integer(1));

rsr.setFunction("FLUSHTEXTENTITY");

```

- ID

```
rsr.setParameters(new String[] {  
    "12323"  
});
```

-

```
AdministrationServiceResponse rs = adminService.remoteAdministrationCall(rsr);
```

web

- StatusCode

web

1. **ws_flushtextentity.jsp**
2. rootYellowfin/appserver/webapps/ROOT
- 3.
4. **http://<host>:<port>/ws_flushtextentity.jsp**

```
<%  
/*          ws_flushtextentity.jsp          */  
%>  
<%@ page language="java" contentType="text/html; charset=UTF-8" %>  
<%@ page import="com.hof.util.*, java.util.*, java.text.*" %>  
<%@ page import="com.hof.web.form.*" %>  
<%@ page import="com.hof.mi.web.service.*" %>  
<%  
  
AdministrationServiceService s_adm = new AdministrationServiceServiceLocator("localhost",8080, "/services  
/AdministrationService", false);          // adjust host and port number  
AdministrationServiceSoapBindingStub adminService = (AdministrationServiceSoapBindingStub) s_adm.  
getAdministrationService();  
AdministrationServiceRequest rsr = new AdministrationServiceRequest();  
  
rsr.setLoginId("admin@yellowfin.com.au");          // provide your Yellowfin webservices admin account  
rsr.setPassword("test");          // change to the password of the account above  
rsr.setOrgId(1);  
rsr.setFunction("FLUSHTEXTENTITY");  
rsr.setParameters(new String[] {"65254"});  
  
AdministrationServiceResponse rs = adminService.remoteAdministrationCall(rsr);  
  
if ("SUCCESS".equals(rs.getStatusCode()) ) {  
    out.write("<br>Success");  
  
}  
else {  
    out.write("<br>Failure");  
    out.write(" Code: " + rs.getErrorCode());  
}  
%>
```

web

LoginId	String	Yellowfin WebIDIDID Yellowfin Yellowfin Web
Password	String	
OrgId	Integer	YellowfinID1
Function	String	Web FLUSHCACHEDFILTERCACHE
Parameters	String[]	IDID

SOAP XML

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:web="http://webservices.web.mi.hof.com/">
  <soapenv:Header/>
  <soapenv:Body>
    <web:remoteAdministrationCall>
      <arg0>
        <loginId>admin@yellowfin.com.au</loginId>
        <password>test</password>
        <orgId>1</orgId>
        <function>FLUSHCACHEDFILTERCACHE</function>
        <parameters>74909</parameters>
      </arg0>
    </web:remoteAdministrationCall>
  </soapenv:Body>
</soapenv:Envelope>
```

StatusCode	String	Web <ul style="list-style-type: none"> • SUCCESS • FAILURE

SOAP XML

```
<S:Envelope xmlns:S="http://schemas.xmlsoap.org/soap/envelope/">
  <S:Body>
    <ns2:remoteAdministrationCallResponse xmlns:ns2="http://webservices.web.mi.hof.com/">
      <return>
        <errorCode>0</errorCode>
        <messages>Successfully Authenticated User: admin@yellowfin.com.au</messages>
        <messages>Web Service Request Complete</messages>
        <sessionId>5a29f6eaf3ee084b00c76da124f31fe0</sessionId>
        <statusCode>SUCCESS</statusCode>
      </return>
    </ns2:remoteAdministrationCallResponse>
  </S:Body>
</S:Envelope>
```

Java

- web

```
AdministrationServiceRequest rsr = new AdministrationServiceRequest();
rsr.setLoginId("admin@yellowfin.com.au");
rsr.setPassword("test");
rsr.setOrgId(new Integer(1));

rsr.setFunction("FLUSHCACHEDFILTERCACHE");
```

- ID

```
rsr.setParameters(new String[] {
    "12323"
});
```

-

```
AdministrationServiceResponse rs = adminService.remoteAdministrationCall(rsr);
```

web

- StatusCode

web

1. **ws_flushcachedfilter.jsp**
2. rootYellowfin/appserver/webapps/ROOT
- 3.
4. **http://<host>:<port>/ws_flushcachedfilter.jsp**

```

<%
/*          ws_flushcachedfilter.jsp          */
%>
<%@ page language="java" contentType="text/html; charset=UTF-8" %>
<%@ page import="com.hof.util.*, java.util.*, java.text.*" %>
<%@ page import="com.hof.web.form.*" %>
<%@ page import="com.hof.mi.web.service.*" %>

AdministrationServiceResponse rs = null;
AdministrationServiceRequest rsr = new AdministrationServiceRequest();
AdministrationServiceService ts = new AdministrationServiceServiceLocator("localhost", 8080, "/services
/AdministrationService", false);
AdministrationServiceSoapBindingStub rssbs = (AdministrationServiceSoapBindingStub) ts.
getAdministrationService();

rsr.setLoginId("admin@yellowfin.com.au");
rsr.setPassword("test");
rsr.setOrgId(new Integer(1));
rsr.setFunction("FLUSHCACHEDFILTERCACHE");

//Specify filter ID to flush its cache
rsr.setParameters(new String[] {
    "12323"
});

rs = rssbs.remoteAdministrationCall(rsr);

if ("SUCCESS".equals(rs.getStatusCode())) {
    out.write("Success </br>");
} else {
    out.write(rs.getStatusCode());
    out.write(rs.toString());
}

```

web

LoginId	String	Yellowfin WebIDIDID Yellowfin Yellowfin Web
Password	String	
OrgId	Integer	YellowfinID1
Function	String	Web REMOVEDOCUMENT
Parameters	String[]	IDID

SOAP XML

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:web="http://webservices.web.mi.hof.com/">
  <soapenv:Header/>
  <soapenv:Body>
    <web:remoteAdministrationCall>
      <arg0>
        <loginId>admin@yellowfin.com.au</loginId>
        <password>test</password>
        <orgId>1</orgId>
        <function>REMOVEDOCUMENT</function>
        <parameters>74909</parameters>
      </arg0>
    </web:remoteAdministrationCall>
  </soapenv:Body>
</soapenv:Envelope>

```

Status Code	String	Web
		<ul style="list-style-type: none"> SUCCESS FAILURE

SOAP XML

```

<S:Envelope xmlns:S="http://schemas.xmlsoap.org/soap/envelope/">
  <S:Body>
    <ns2:remoteAdministrationCallResponse xmlns:ns2="http://webservices.web.mi.hof.com/">
      <return>
        <errorCode>0</errorCode>
        <messages>Successfully Authenticated User: admin@yellowfin.com.au</messages>
        <messages>Web Service Request Complete</messages>
        <sessionId>fe029927cc6aae20446f1a8caf25e83a</sessionId>
        <statusCode>SUCCESS</statusCode>
      </return>
    </ns2:remoteAdministrationCallResponse>
  </S:Body>
</S:Envelope>

```

Java

- web

```

AdministrationServiceRequest rsr = new AdministrationServiceRequest();
rsr.setLoginId("admin@yellowfin.com.au");
rsr.setPassword("test");
rsr.setOrgId(new Integer(1));

rsr.setFunction("REMOVEDOCUMENT");

```

- ID


```
rsr.setParameters(new String[] {
    "12323"
});
```

-

```
AdministrationServiceResponse rs = adminService.remoteAdministrationCall(rsr);
```

web

- StatusCode

web

1. **ws_removedocument.jsp**
2. rootYellowfin/appserver/webapps/ROOT
- 3.
4. **http://<host>:<port>/ws_removedocument.jsp**

```
<%
/*          ws_removedocument.jsp          */
%>

<%@ page language="java" contentType="text/html; charset=UTF-8" %>
<%@ page import="com.hof.util.*, java.util.*, java.text.*" %>
<%@ page import="com.hof.web.form.*" %>
<%@ page import="com.hof.mi.web.service.*" %>
<%
    AdministrationServiceResponse rs = null;
    AdministrationServiceRequest rsr = new AdministrationServiceRequest();
    AdministrationService ts = new AdministrationServiceLocator("localhost", 8080, "/services
/AdministrationService", false);
    AdministrationServiceSoapBindingStub rssbs = (AdministrationServiceSoapBindingStub) ts.
getAdministrationService();

    rsr.setLoginId("admin@yellowfin.com.au");
    rsr.setPassword("test");
    rsr.setOrgId(new Integer(1));
    rsr.setFunction("REMOVEDOCUMENT");

    rsr.setParameters(new String[] {
        "70103" });

    rs = rssbs.remoteAdministrationCall(rsr);

    if ("SUCCESS".equals(rs.getStatusCode())) {
        out.write("Success </br>");
    } else {
        out.write(rs.getStatusCode());
        out.write(rs.toString());
    }
%>
```

webIDIDIDETLUUID

LoginId	String	Yellowfin WebIDIDID Yellowfin Yellowfin Web
Password	String	
OrgId	Integer	YellowfinID1
Function	String	Web REFRESHACLL
Parameters	String[]	IDID <ul style="list-style-type: none">• ID• ID• ETLUUID

SOAP XML

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:web="http://webservices.web.mi.hof.com/">
  <soapenv:Header/>
  <soapenv:Body>
    <web:remoteAdministrationCall>
      <arg0>
        <loginId>admin@yellowfin.com.au</loginId>
        <password>test</password>
        <orgId>1</orgId>
        <function>REFRESHACLL</function>
        <parameters>74909</parameters>
      </arg0>
    </web:remoteAdministrationCall>
  </soapenv:Body>
</soapenv:Envelope>
```

StatusCode	String	Web <ul style="list-style-type: none">• SUCCESS• FAILURE

SOAP XML

```
<S:Envelope xmlns:S="http://schemas.xmlsoap.org/soap/envelope/">
  <S:Body>
    <ns2:remoteAdministrationCallResponse xmlns:ns2="http://webservices.web.mi.hof.com/">
      <return>
        <errorCode>0</errorCode>
        <messages>Successfully Authenticated User: admin@yellowfin.com.au</messages>
        <messages>Web Service Request Complete</messages>
        <sessionId>fe029927cc6aae20446f1a8caf25e83a</sessionId>
        <statusCode>SUCCESS</statusCode>
      </return>
    </ns2:remoteAdministrationCallResponse>
  </S:Body>
</S:Envelope>
```

Java

- web

```
AdministrationServiceRequest rsr = new AdministrationServiceRequest();
rsr.setLoginId("admin@yellowfin.com.au");
rsr.setPassword("test");
rsr.setOrgId(new Integer(1));

rsr.setFunction("REFRESHACLL");
```

- ID

```
rsr.setParameters(new String[] {
    "12323"
});
```

-

```
AdministrationServiceResponse rs = adminService.remoteAdministrationCall(rsr);
```

web

- StatusCode

web

1. **ws_refreshacll.jsp**
2. rootYellowfin/appserver/webapps/ROOT
- 3.
4. **http://<host>:<port>/ws_refreshacll.jsp**

```

<%
/*          ws_refreshacl1.jsp          */
%>

<%@ page language="java" contentType="text/html; charset=UTF-8" %>
<%@ page import="com.hof.util.*, java.util.*, java.text.*" %>
<%@ page import="com.hof.web.form.*" %>
<%@ page import="com.hof.mi.web.service.*" %>
<%
    AdministrationServiceResponse rs = null;
    AdministrationServiceRequest rsr = new AdministrationServiceRequest();
    AdministrationServiceService ts = new AdministrationServiceServiceLocator("localhost", 8080, "/services
/AdministrationService", false);
    AdministrationServiceSoapBindingStub rssbs = (AdministrationServiceSoapBindingStub) ts.
getAdministrationService();

    rsr.setLoginId("admin@yellowfin.com.au");
    rsr.setPassword("test");
    rsr.setOrgId(new Integer(1));
    rsr.setFunction("REFRESHACL");

    rsr.setParameters(new String[] {
        "70103" });

    rs = rssbs.remoteAdministrationCall(rsr);

    if ("SUCCESS".equals(rs.getStatusCode())) {
        out.write("Success </br>");
    } else {
        out.write(rs.getStatusCode());
        out.write(rs.toString());
    }
%>

```

web

LoginId	String	Yellowfin WebIDID Yellowfin Web
Password	String	
OrgId	Integer	YellowfinID1
Function	String	Web REMOVECONTENTMANAGEMENT
parameters	String[]	ID

SOAP XML

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:web="http://webservices.web.mi.hof.com/">
  <soapenv:Header/>
  <soapenv:Body>
    <web:remoteAdministrationCall>
      <arg0>
        <loginId>admin@yellowfin.com.au</loginId>
        <password>test</password>
        <orgId>1</orgId>
        <function>REMOVECONTENTMANAGEMENT</function>
        <parameters>73118</parameters>
      </arg0>
    </web:remoteAdministrationCall>
  </soapenv:Body>
</soapenv:Envelope>

```

Status Code	String	Web
		<ul style="list-style-type: none"> • SUCCESS • FAILURE

SOAP

```

<S:Envelope xmlns:S="http://schemas.xmlsoap.org/soap/envelope/">
  <S:Body>
    <ns2:remoteAdministrationCallResponse xmlns:ns2="http://webservices.web.mi.hof.com/">
      <return>
        <errorCode>0</errorCode>
        <messages>Successfully Authenticated User: admin@yellowfin.com.au</messages>
        <messages>Web Service Request Complete</messages>
        <sessionId>5a29f6eaf3ee084b00c76da124f31fe0</sessionId>
        <statusCode>SUCCESS</statusCode>
      </return>
    </ns2:remoteAdministrationCallResponse>
  </S:Body>
</S:Envelope>

```

Java

- web

```

AdministrationServiceRequest rsr = new AdministrationServiceRequest();
rsr.setLoginId("admin@yellowfin.com.au");
rsr.setPassword("test");
rsr.setOrgId(new Integer(1));

rsr.setFunction("REMOVECONTENTMANAGEMENT");

```

- ID

```
rsr.setParameters(new String[] { "73118" });
```

-

```
AdministrationServiceResponse rs = adminService.remoteAdministrationCall(rsr);
```

web

- StatusCode

```
if ( "SUCCESS".equals(rs.getStatusCode()) ) {  
    out.write("<br>Success");  
  
}  
else {  
    out.write("<br>Failure");  
    out.write(" Code: " + rs.getErrorCode());  
}
```

web

1. **ws_removecontentmanagement.jsp**
2. rootYellowfin/appserver/webapps/ROOT
- 3.
4. **http://<host>:<port>/ws_removecontentmanagement.jsp**

```

<%
/*          ws_removecontentmanagement.jsp          */
%>
<%@ page language="java" contentType="text/html; charset=UTF-8" %>
<%@ page import="com.hof.util.*, java.util.*, java.text.*" %>
<%@ page import="com.hof.web.form.*" %>
<%@ page import="com.hof.mi.web.service.*" %>
<%

AdministrationServiceService s_adm = new AdministrationServiceServiceLocator("localhost",8080, "/services
/AdministrationService", false);          // adjust host and port number
AdministrationServiceSoapBindingStub adminService = (AdministrationServiceSoapBindingStub) s_adm.
getAdministrationService();
AdministrationServiceRequest rsr = new AdministrationServiceRequest();

rsr.setLoginId("admin@yellowfin.com.au");          // provide your Yellowfin web services admin account
rsr.setPassword("test");          // set to the password of the account above
rsr.setOrgId(1);
rsr.setFunction("REMOVECONTENTMANAGEMENT");
rsr.setParameters(new String[] {"73118"});

AdministrationServiceResponse rs = adminService.remoteAdministrationCall(rsr);

if ("SUCCESS".equals(rs.getStatusCode()) ) {
    out.write("<br>Success");
}
else {
    out.write("<br>Failure");
    out.write(" Code: " + rs.getErrorCode());
}
%>

```