

-
- -
 -
 - US
- -
- -
 - Windows
- -
 - Progress JDBC
 -
 -
 -
 -
 - SQL Server
 - SQL Server
 - SQL Server
 -
 -
 -
 -
 -
- -
 -

	option.pack.tutorial
	Ski Teamtruefalse
	true
	option.pack.tutorial=true

	option.pack.geopack.world
	truefalse
	false
	option.pack.geopack.world=true

US

	option.pack.geopack.us
--	------------------------

	UStruefalse
	false
	option.pack.geopack.us=true

	option.licencefile
	Yellowfin
	option.licencefile=/usr/local/yellowfin.lic

	option.serverport
	Yellowfin165535
	8080
	option.serverport=8080

Windows

	option.winservice
	WindowstrueOS
	false
	option.winservice=true

	option.db.dbtype
--	------------------

	Yellowfin AS400 - AS/400 DB2 CacheDB DB2 HSQLDB - Ingres MySQL Oracle PostgreSQL Progress - Progress 9 SQLServer - Microsoft SQL Server SQLServerAzure - Microsoft SQL Server Azure SybaseASA - Sybase SQL Anywhere / IQ SybaseASE - Sybase ASE
	option.db.dbtype=PostgreSQL

Progress JDBC

	option.db.progressdriver
	Progress JDBC
	option.db.progressdriver=/usr/local/dlc/java/jdbc.jar

	option.db.hostname
	Yellowfin
	option.db.hostname=localhost

	option.db.port
	Yellowfin
	option.db.port=5432

	option.db.dbname
	Yellowfin
	option.db.dbname=yellowfin

	option.db.createdb
	Yellowfin true
	option.db.createdb=true

SQL Server

	option.db.sqlinstance
	SQL Server

	<code>option.db.sqlinstance=MyInstance</code>
--	---

SQL Server

	<code>option.db.sqlauthtype</code>
	<code>SQL Serverwindowssqlserver</code>
	<code>sqlserver</code>
	<code>option.db.sqlauthtype=windows</code>

SQL Server

	<code>option.db.sqldomain</code>
	<code>windowsSQL Server</code>
	<code>option.db.sqldomain=MyDomain</code>

	<code>option.db.username</code>
	<code>Yellowfin</code>
	<code>option.db.username=myuser</code>

	<code>option.db.userpassword</code>
	<code>Yellowfin</code>
	<code>option.db.userpassword=password</code>

	<code>option.db.createuser</code>
	<code>Yellowfintrue</code>
	<code>option.db.createuser=true</code>

	<code>option.db.dbusername</code>
	<code>true</code>
	<code>option.db.dbusername=admin</code>

	<code>option.db.dbpassword</code>
	<code>true</code>
	<code>option.db.dbpassword=password</code>

	option.installpath
	YellowfinYellowfin
	option.installpath=/usr/local/Yellowfin

	installer.installfolder
	OS
	installer.installfolder=Report Server 7.1