

-

DashXML YellowfinXMLCSS


DashXML

XML

```
<application-definition>
  <sourcefilter></sourcefilter>
  <dashboard>
    <text></text>
    <exportlist>
      <export><export>
    </exportlist>
    <filter>
      <options>
        <summary><summary>
      </options>
    </filter>
    <report>
      <modal>
        <subcontent></subcontent>
      </modal>
      <filterMap></filterMap>
    </report>
    <modal>
      <subcontent></subcontent>
    </modal>
    <customhtml>
      <replacements></replacements>
    </customhtml>
    <subtab>
      <options>
        <subcontent></subcontent>
        <summary></summary>
      </options>
    </subtab>
  </dashboard>
</application-definition>
```

XMLXML

CSS



<dashboard>

id	1	XMLURLid1URL http://localhost:7171/DashboardPortal/dashboard.jsp?id=1
filter		
exportlist		
report		

XML

```

<application-definition>
  <dashboard>
    <id>1</id>


    <!-- Year Filters -->
    <filter>
      <sync>true</sync>
      <datatype>DATE</datatype>
      <name>dateFilter</name>
      <operator>BETWEEN</operator>
      <styleClass>topFilter</styleClass>
      <options>
        <title>All Time</title>
        <value>1900-01-01\|2100-01-01</value>
        <defaultOption>true</defaultOption>
      </options>
      <options>
        <title>Year</title>
        <typeCode>PREDEF</typeCode>
        <value>YEARTODATE</value>
      </options>
      <options>
        <title>Month</title>
        <typeCode>PREDEF</typeCode>
        <value>MONTHTODATE</value>
      </options>
      <options>
        <title>Custom</title>
        <prompt>true</prompt>
      </options>
    </filter>

    <!-- Export Buttons (Print, PDF, XLS) -->
    <exportlist>
      <export>
        <styleClass>printExport</styleClass>
        <exporttype>PRINT</exporttype>
      </export>
      <export>
        <styleClass>pdfExport</styleClass>
        <exporttype>PDF</exporttype>
      </export>
    </exportlist>

    <!-- Canvas Chart -->
    <report>
      <display>CHART</display>
      <uuid>898e21f9-5acd-4b03-943c-25feca2c23c2</uuid>
      <styleClass>canvasChart</styleClass>
      <filterMap>
        <filterUUID>071367c9-9cad-46c6-94d8-f4821c61d90e</filterUUID>
        <mapToFilter>dateFilter</mapToFilter>
      </filterMap>
    </report>

  </dashboard>
  <!-- End of the Example -->
</application-definition>

```



<subtab>

styleClass		CSS
name		XML
options		<options>

<options>

title	Booking Stats	
description	Email, Phone, and Website	
icon	<![CDATA[<div class="subtabBookingIcon"></div>]]>	<![CDATA[<div class="subtabBookingIcon"></div>]]>

XML

```

<!-- Start of Sub Tabs -->
<subtab>
  <styleClass>subTabs</styleClass>
  <name>Ski Team</name>

  <!-- Booking Stats Tab -->
  <options>
    <prompt>false</prompt>
    <title>Booking Stats</title>
    <description>Email, Phone, and Website</description>
    <icon><![CDATA[<div class="subtabBookingIcon"></div>]]></icon>
    <subcontent>
      <styleClass>subTabOne</styleClass>
      <name>Booking Stats</name>

      <!-- Canvas Chart -->
      <report>
        <display>CHART</display>
        <uuid>898e21f9-5acd-4b03-943c-25fec2c23c2</uuid>
        <styleClass>canvasChart</styleClass>
        <filterMap>
          <filterUUID>071367c9-9cad-46c6-94d8-f4821c61d90e</filterUUID>
          <mapToFilter>dateFilter</mapToFilter>
        </filterMap>
      </report>
      <!-- Line Chart -->
      <report>
        <display>CHART</display>
        <title>Athlete Bookings over Time</title>
        <uuid>d1f779fb-7dbf-42e2-8e6a-bc7dc84ae04f</uuid>
        <styleClass>fullWidthChart</styleClass>
        <filterMap>
          <filterUUID>a0bfc7f6-1550-4f4d-a3c5-031b20c1a942</filterUUID>
          <mapToFilter>dateFilter</mapToFilter>
        </filterMap>
      </report>
    </subcontent>
  </options>

  <!-- Athletes Tab -->
  <options>
    <prompt>false</prompt>
    <title>Athletes</title>
    <description>Demographic & Sales</description>
    <icon><![CDATA[<div class="subtabAthletesIcon"></div>]]></icon>
    <subcontent>
      <!-- Content Removed For Simplification -->

    </subcontent>
  </options>

  <!-- Ski Camps Tab -->
  <options>
    <prompt>false</prompt>
    <title>Ski Camps</title>
    <description>Stats for each Site</description>
    <icon><![CDATA[<div class="subtabSkiCampsIcon"></div>]]></icon>
    <subcontent>
      <!-- Content Removed For Simplification -->

    </subcontent>
  </options>
</subtab>

```

CSS

```

/* sub tabs */
.subTabs {

```

```

        clear: both;
    }
    /* Sub Tab Button Selectors */
    .subTabSelection {
        width: 228px;
        display: table;
        border-collapse: separate;
        table-layout: fixed;
        overflow: hidden;
        position: fixed;
        left: 0px;
        top: 127px;
        border-spacing: 0px 1px;
        background-color: #CCCCCC;
    }
    .subTabSelection .subTabSelector {
        display: table-row;
        background: #F9F9F9;
        cursor: pointer;
        position: relative;
    }
    .subTabSelection .subTabMain {
        height: 55px;
        overflow: hidden;
        position: relative;
        padding: 20px 10px;
    }
    .subTabSelection .selected {
        background: #FFFFFF;
    }
    .subTabSelection .selected div{
        color: #393737;
    }
    .subTabSelection .subTabTitle {
        color: #393737;
        font-size: 20px;
        font-family: sourceSansPro, sans-serif;
        padding-left: 55px;
        padding-top: 3px
    }
    .subTabSelection .subTabDesc{
        color: #393737;
        font-size: 13px;
        line-height: 22px;
        padding-left: 55px;
    }
    .subTabSelection .subTabSummary {
        color: #393737;
        font-size: 18px;
        font-weight: bold;
    }
    .subTabSelection .subTabIcon {
        position: absolute;
        top: 20px;
        left: 5px;
        width: 55px;
        text-align: center;
    }
    .subTabSelection .subtabBookingIcon{
        background-image: url("../images/booking.png");
        height: 55px;
        width: 55px;
    }
    .subTabSelection .subtabAthletesIcon{
        background-image: url("../images/athlete.png");
        height: 55px;
        width: 55px;
    }
    .subTabSelection .subtabSkiCampsIcon{

```

```
background-image: url("../images/camp.png");
height: 55px;
width: 55px;
}
.subTabSelector.selected .subtabBookingIcon{
background-image: url("../images/bookingSelected.png");
height: 55px;
width: 55px;
}

.subTabSelector.selected .subtabAthletesIcon{
background-image: url("../images/athleteSelected.png");
height: 55px;
width: 55px;
}

.subTabSelector.selected .subtabSkiCampsIcon{
background-image: url("../images/campSelected.png");
height: 55px;
width: 55px;
}
```

<text> XMLCSS

Ski Team Dashboard

<text>

styleClass	dashboardTitle	CSS
text	Ski Team Dashboard	

XML

```
<!-- Dashboard Title Text -->
<text>
  <styleClass>dashboardTitle</styleClass>
  <text>Ski Team Dashboard</text>
</text>
```

CSS

```
.dashboardTitle {
color: #393737;
font-size: 40px;
float: left;
}
```

<exportlist> XMLXLS



<exportlist>

export		PDFXLS<filterMap>

<export> (Print)

styleClass	printExport	CSS
exporttype	PRINT	

<export> (PDF)

styleClass	pdfExport	CSS
exporttype	PDF	PDF

<export> (XLS)

styleClass	xlsExport	CSS
exporttype	XLS	XLS
reportuuid	39f8f49f-124b-4b36-a7f6-2f1ed9724c53	XLSUUID

XML

```
<!-- Export Buttons (Print, PDF, XLS) -->
<exportlist>
  <export>
    <styleClass>printExport</styleClass>
    <exporttype>PRINT</exporttype>
  </export>
  <export>
    <styleClass>pdfExport</styleClass>
    <exporttype>PDF</exporttype>
  </export>
  <export>
    <styleClass>xlsExport</styleClass>
    <exporttype>XLS</exporttype>
    <reportuuid>39f8f49f-124b-4b36-a7f6-2f1ed9724c53</reportuuid>
  </export>
</exportlist>
```


CSS


```

/* Export Buttons */
.exportList {
  display: table;
  padding: 0px 15px;
  margin: 20px 0px 20px 0px;
  font-family: FontAwesome;
  font-style: normal;
  font-weight: normal;
  -webkit-font-smoothing: antialiased;
  -moz-osx-font-smoothing: grayscale;
  font-size: 18px;
  color: #364149;
}
.exportLink {
  padding-right: 10px;
  cursor: pointer;
  display: table-cell;
}
.printExport:before {
  content: "\f02f";
}
.pdfExport:before {
  content: "\f1c1";
}
.xlsExport:before {
  content: "\f1c3";
}

```

<filter> XML4



<filter>

sync	true	true
datatype	DATE	
name	dateFilter	<filterMap>
operator	BETWEEN	BETWEEN2
styleClass	topFilter	CSS
options		<option><options>

<options> (Custom)

title	Custom	
prompt	true	<value> CSS

<options> (Year)

title	Year	
typecode	PREDEF	<value>
value	YEARTODATE	YEARTODATE

<options> (Month)

title	Month	
typecode	PREDEF	<value>
value	MONTHTODATE	MONTHTODATE

<options> (All Time)

title	All Time	
value	1900-01-01\2100-01-01	190011210011
defaultOption	true	<option> false

XML

```

<!-- Year Filters -->
<filter>
  <sync>true</sync>
  <datatype>DATE</datatype>
  <name>dateFilter</name>
  <operator>BETWEEN</operator>
  <styleClass>topFilter</styleClass>
  <options>
    <title>All Time</title>
    <value>1900-01-01\|2100-01-01</value>
    <defaultOption>true</defaultOption>
  </options>
  <options>
    <title>Year</title>
    <typeCode>PREDEF</typeCode>
    <value>YEARTODATE</value>
  </options>
  <options>
    <title>Month</title>
    <typeCode>PREDEF</typeCode>
    <value>MONTHTODATE</value>
  </options>
  <options>
    <title>Custom</title>
    <prompt>true</prompt>
  </options>
</filter>

```

CSS

```

* Date Filters */
.topFilter {
  height: 24px;
  line-height: 24px;
  padding-top: 14px;
}

.topFilter .filterOption {
  text-align: center;
  float: right;
  color: #393737;
  cursor: pointer;
  width: 70px;
  margin-left: 5px;
  font-weight: bold;
}

.topFilter .selected {
  background-color: #393737;
  color: #FFFFFF;
}

.topFilter .filterOption .customEntry {
  background-color : #393737;
  color: #FFFFFF;
  position: absolute;
  overflow: hidden;
  z-index: 100;
  margin-top: 5px;
  width: 115px;
}

.topFilter .filterOption .customEntry input{
  background-color : #FFFFFF;
  border: 0px;
  font-family: sourceSansPro, sans-serif;
  font-size: 14px;
  color: #393737;
}

```

```

    height: 24px;
    width: 70px;
    line-height: 24px;
    margin: 12px 12px 0px 12px;
    padding: 0px 10px;
    text-align: center;
}

/* Date Entry */
.submitCustom {
    float: left;
    line-height: normal;
    margin: 10px 3px 10px 12px;
}

.cancelCustom {
    float: right;
    line-height: normal;
    margin: 10px 12px 10px 3px;
}

/* Date Picker */
.ui-datepicker {
    background-color : #FFFFFF;
    border: 1px solid #393737;
    color: #393737;
    font-family: sourceSansPro, sans-serif;
    font-size: 14px;
    margin-top: 5px;
}

.ui-datepicker a{
    color: #393737;
}

.ui-datepicker .ui-datepicker-prev {
    left: 10px;
    top: 6px;
}

.ui-datepicker .ui-datepicker-next {
    right: 10px;
    top: 6px;
}

.ui-datepicker .ui-datepicker-prev:before {
    content: "\f104";
    color: #393737;
    display: inline-flex;
    font-family: FontAwesome;
    font-style: normal;
    font-weight: normal;
    -webkit-font-smoothing: antialiased;
    -moz-osx-font-smoothing: grayscale;
    font-size: 18px;
    cursor: pointer;
}

.ui-datepicker .ui-datepicker-next:before {
    content: "\f105";
    color: #393737;
    display: inline-flex;
    font-family: FontAwesome;
    font-style: normal;
    font-weight: normal;
    -webkit-font-smoothing: antialiased;
    -moz-osx-font-smoothing: grayscale;
    font-size: 18px;
    cursor: pointer;
}

```

```
.ui-datepicker .ui-datepicker-prev-hover:before {
  content: "\f104";
  color: #393737;
  display: inline-flex;
  font-family: FontAwesome;
  font-style: normal;
  font-weight: normal;
  -webkit-font-smoothing: antialiased;
  -moz-osx-font-smoothing: grayscale;
  font-size: 18px;
  cursor: pointer;
}
.ui-datepicker .ui-datepicker-next-hover:before {
  content: "\f105";
  color: #393737;
  display: inline-flex;
  font-family: FontAwesome;
  font-style: normal;
  font-weight: normal;
  -webkit-font-smoothing: antialiased;
  -moz-osx-font-smoothing: grayscale;
  font-size: 18px;
  cursor: pointer;
  text-align: right;
}

.ui-datepicker .ui-datepicker-prev-hover {
  left: 10px;
  top: 6px;
}

.ui-datepicker .ui-datepicker-next {
  text-align: right;
}

.ui-datepicker .ui-datepicker-next-hover {
  right: 10px;
  top: 6px;
  text-align: right;
}
```

	Booking Stats 65
	Email, Phone, and Website
	Athletes 37
	Demographic & Sales
	Ski Camps 12
	Stats for each Site

<report>

display	HIDDEN	HIDDEN
uuid	73f732e8-7961-4925-9319-740dc4991de8	Yellowfin UUID
name	skiTeamFilterList	XML<summary>UUID
filterMap		<filterMap>

<filterMap>

filterUUID	73f732e8-7961-4925-9319-740dc4991de8	<mapToFilter> UUIDPosition Improvement
mapToFilter	skiTeamFilter	skiTeamFilter

<filter>

sync	true	true
datatype	TEXT	
name	skiTeamFilter	<filterMap>
operator	EQUAL	EQUAL1
styleClass	quickStatFilter	CSS
options		<option><options>

<options> (Booking Stats)

title	Booking Stats	

description	Email, Phone, and Website	
summary		<summary>
icon	<![CDATA[<div class="filterIconBooking"></div>]]>	HTML
value	Booking	
defaultOption	false	<option> false

<summary> (Booking Stats)

reportId	skiTeamFilterList	XML
matchColumn	0	0
matchValue	Booking	<matchColumn>Booking
valueColumn	1	<matchColumn> <matchValue> 021

<options> (Athletes)

title	Athletes	
description	Demographic & Sales	
summary		<summary>
icon	<![CDATA[<div class="filterIconAthletes"></div>]]>	HTML
value	Athletes	
defaultOption	False	<option> false

<summary> (Athletes)

reportId	skiTeamFilterList	XML
matchColumn	0	0
matchValue	Athletes	<matchColumn>Athletes
valueColumn	1	<matchColumn> <matchValue> 021

<options> (Ski Camps)

title	Ski Camps	
description	Stats for each Site	
summary		<summary>
icon	<![CDATA[<div class="filterIconCamps"></div>]]>	HTML
value	Camps	
defaultOption	true	<option> false

<summary> (Camps)

reportId	skiTeamFilterList	XML
matchColumn	0	0
matchValue	Camps	<matchColumn>Camps
valueColumn	1	<matchColumn> <matchValue> 021

XML


```

<!-- Ski Team Filter List Summary Report -->
<report>
  <display>HIDDEN</display>
  <uuid>73f732e8-7961-4925-9319-740dc4991de8</uuid>
  <name>skiTeamFilterList</name>
  <filterMap>
    <filterUUID>682f856b-09b8-49d8-bf33-6e9bba9d895a</filterUUID>
    <mapToFilter>skiTeamFilter</mapToFilter>
  </filterMap>
</report>

<!-- Ski Team Filters -->
<filter>
  <sync>true</sync>
  <datatype>TEXT</datatype>
  <name>skiTeamFilter</name>
  <operator>EQUAL</operator>
  <styleClass>quickStatFilter</styleClass>
  <options>
    <title>Booking Stats</title>
    <description>Email, Phone, and Website</description>
    <summary>
      <reportId>skiTeamFilterList</reportId>
      <matchColumn>0</matchColumn>
      <matchValue>Booking</matchValue>
      <valueColumn>1</valueColumn>
    </summary>
    <icon><![CDATA[<div class="filterIconBooking"></div>]]></icon>
    <value>Booking</value>
    <defaultOption>>false</defaultOption>
  </options>
  <options>
    <title>Athletes</title>
    <description>Demographic & Sales</description>
    <summary>
      <reportId>skiTeamFilterList</reportId>
      <matchColumn>0</matchColumn>
      <matchValue>Athletes</matchValue>
      <valueColumn>1</valueColumn>
    </summary>
    <icon><![CDATA[<div class="filterIconAthletes"></div>]]></icon>
    <value>Athletes</value>
    <defaultOption>>false</defaultOption>
  </options>
  <options>
    <title>Ski Camps</title>
    <description>Stats for each Site</description>
    <summary>
      <reportId>skiTeamFilterList</reportId>
      <matchColumn>0</matchColumn>
      <matchValue>Camps</matchValue>
      <valueColumn>1</valueColumn>
    </summary>
    <icon><![CDATA[<div class="filterIconCamps"></div>]]></icon>
    <value>Camps</value>
    <defaultOption>true</defaultOption>
  </options>
</filter>

```


CSS

```

.quickStatFilter {
    width: 100%;
    display: table;
    border-collapse: separate;
    border-spacing: 15px 0px;
    z-index: 1000;
}
.quickStatFilter .filterOption {
    display: table-cell;
    background: #EDECED;
    padding: 10px;
    text-align: left;
    cursor: pointer;
    table-layout: fixed;
    overflow: hidden;
}
.quickStatFilter .filterOptionMain {
    width: 100%;
    height: 80px;
    overflow: hidden;
    position: relative;
}
.quickStatFilter .filterTitle {
    color: #4C5965;
    font-size: 16px;
    z-index: 1000;
    font-weight: bold;
}
.quickStatFilter .filterDesc {
    color: #909FAC;
    font-size: 12px;
    margin-top: 2px;
}
.quickStatFilter .filterOptionSummary {
    color: #4C5965;
    font-size: 18px;
    position: absolute;
    font-weight: bold;
    margin-top: 15px;
}
.quickStatFilter .filterIcon {
    position: relative;
    float: right;
    bottom: 30px;
    color: #D3D1D3;
}
.quickStatFilter .filterIconBooking {
    background-image: url("../images/booking.png");
}
.quickStatFilter .filterIconAthletes {
    background-image: url("../images/athlete.png");
}
.quickStatFilter .filterIconCamps {
    background-image: url("../images/camp.png");
}
.quickStatFilter .selected {
    background: #477DB3;
}
.quickStatFilter .selected div{
    color: #FFFFFF;
}
.selected .quickStatFilter .filterIconBooking {
    background-image: url("../images/booking.png");
}
.selected .quickStatFilter .filterIconAthletes {
    background-image: url("../images/athlete.png");
}
.selected .quickStatFilter .filterIconCamps {
    background-image: url("../images/camp.png");
}

```

<report> XML



<report>

display	CHART	CHARTYellowfin
title	Athlete Bookings over Time	
uuid	d1f779fb-7dbf-42e2-8e6a-bc7dc84ae04f	Yellowfin UUID
styleClass	fullWidthChart	CSS
filterMap		dateFilter<filterMap>

<filterMap>

filterUUID	a0bfc7f6-1550-4f4d-a3c5-031b20c1a942	<mapToFilter> UUID
mapToFilter	dateFilter	dateFilter

XML

```
<!-- Line Chart -->
<report>
  <display>CHART</display>
  <title>Athlete Bookings over Time</title>
  <uuid>d1f779fb-7dbf-42e2-8e6a-bc7dc84ae04f</uuid>
  <styleClass>fullWidthChart</styleClass>
  <filterMap>
    <filterUUID>a0bfc7f6-1550-4f4d-a3c5-031b20c1a942</filterUUID>
    <mapToFilter>dateFilter</mapToFilter>
  </filterMap>
</report>
```

CSS

```
.reportDisplay {
  margin: 20px;
  position: relative;
  page-break-inside: avoid;
}
.reportHtml {
  height: 100%;
  padding: 0px 10px 10px 10px;
}
.reportTitle {
  padding: 10px 10px 0px 10px;
  color: #393737;
  font-size: 21px;
  text-align: center;
}
.fullWidthChart .reportHolder, .twoThirdMap .reportHolder, .thirdTable.reportHolder{
  height: 360px;
}
.fullWidthChart {
  width: 100%;
  float: left;
  overflow: hidden;
}
```

<report> XML

Top 10 Rated Camps						
Rank of Rating	Camp Name	Start Date	End Date	Avg Rating	Athletes	Sales
1	Padola di Comelico	27/11/2015	09/12/2015	8.8	6	\$63,240
2	Whistler BC	01/04/2012	11/04/2012	8.3	6	\$77,466
3	Okemo	30/12/2013	13/01/2014	8.3	7	\$59,892
4	Bork Bork Camp	19/01/2016	26/01/2016	8.0	7	\$125,760
4	Kastelruth	28/01/2016	16/02/2016	8.0	8	\$13,786,296
4	Keystone	26/12/2014	02/01/2015	8.0	7	\$62,675
4	La Villa	21/12/2015	14/01/2016	8.0	6	\$121,718
5	Mt Hood Meadows	06/02/2010	16/02/2010	7.8	6	\$3,049,935
6	Alpe di Siusi	30/12/2012	16/01/2013	7.7	11	\$90,613
7	Panorama	01/12/2011	29/12/2011	7.6	19	\$147,030
8	Thunder Bay	05/01/2013	22/01/2013	7.6	13	\$15,604,011
9	Bormio	06/01/2012	25/01/2012	7.5	6	\$53,176
9	Mt Lacrosse	23/02/2013	16/03/2013	7.5	6	\$36,733
10	Maso Corto	16/01/2014	04/02/2014	7.4	15	\$22,253,283
See All Camps						

<report>

--	--	--

display	TABLE	TABLEYellowfin
title	Top 10 Rated Camps	
uuid	d2769b31-5938-4b80-9573-bfe5720440a0	Yellowfin UUID
styleClass	fullTable	CSS
filterMap		
resultsPerPage	25	<hidePagination>
hidePagination	true	
modalName	CampRatingListModal	XML
modalLinkText	See All Camps	

<filterMap>

filterUUID	d10848dc-b892-4890-9933-a463931b0828	<mapToFilter> UUID
mapToFilter	dateFilter	dateFilter

XML

```
<!-- Top 10 Rated Camps -->
<report>
  <display>TABLE</display>
  <title>Top 10 Rated Camps</title>
  <uuid>d2769b31-5938-4b80-9573-bfe5720440a0</uuid>
  <styleClass>fullTable</styleClass>
  <filterMap>
    <filterUUID>d10848dc-b892-4890-9933-a463931b0828</filterUUID>
    <mapToFilter>dateFilter</mapToFilter>
  </filterMap>
  <hidePagination>true</hidePagination>
  <resultsPerPage>25</resultsPerPage>
  <modalName>CampRatingListModal</modalName>
  <modalLinkText>See All Camps</modalLinkText>
</report>
```

CSS

```
.reportDisplay {
  margin: 20px;
  position: relative;
  page-break-inside: avoid;
}
.reportHtml {
  height: 100%;
  padding: 0px 10px 10px 10px;
}
.reportTitle {
  padding: 10px 10px 0px 10px;
  color: #393737;
  font-size: 21px;
  text-align: center;
}

.fullTable {
  width: 100%;
  float: left;
  overflow: hidden;
}
.fullTable .reportTitle {
  padding-bottom: 15px;
}
.fullTable .reportHolder {
  height: 462px;
  overflow-y: auto;
}
.reportModallink {
  position: relative;
  bottom: -4px;
  float: right;
  right: 10px;
  cursor: pointer;
  font-weight: bold;
}
```

<subcontent><modal>

Camp Rating List					
Camp Name	Start Date	End Date	Avg Rating	Athletes	Sales
Okemo	30/12/2013	13/01/2014	8.3	7	\$59,892
Keystone	26/12/2014	02/01/2015	8.0	7	\$62,675
Maso Corto	16/01/2014	04/02/2014	7.4	15	\$22,253,283
Waterville Valley	27/12/2014	08/01/2015	7.3	6	\$79,167
Breckenridge	20/03/2014	17/04/2014	7.3	20	\$265,278
Sexten	28/11/2013	15/12/2013	7.3	7	\$71,139
Mt St Anne	05/02/2014	26/02/2014	7.3	8	\$77,944
Mellau	07/03/2014	21/03/2014	7.1	21	\$312,792
Filzmoos	09/03/2015	21/03/2015	7.1	14	\$213,067
Mt Washington	20/03/2015	27/03/2015	7.0	6	\$23,137
Nubs Nob	05/12/2014	22/12/2014	6.8	6	\$79,861
San Domenico	08/02/2014	28/02/2014	6.8	20	\$265,278
Lutsen Mountain	01/01/2014	15/01/2014	6.8	14	\$103,169
Passo Monte Croce	11/12/2013	21/12/2013	6.8	14	\$230,486
Bressanone	30/11/2013	12/12/2013	6.8	17	\$267,620
Monte Fana	01/01/2015	20/01/2015	6.8	8	\$56,418
Campofelice	03/02/2015	20/02/2015	6.7	7	\$107,185
Thredbo	27/07/2013	24/08/2013	6.6	19	\$118,632
Fulpmes	31/12/2014	17/01/2015	6.6	8	\$66,703
Big White	27/02/2015	27/02/2015	6.6	7	\$28,382

<modal>

title	Camp Rating List	
name	CampRatingListModal	XML
subcontent		<subcontent>

<subcontent>

report		<report>

<report>

display	TABLE	TABLEYellowfin
uuid	Od16ddf3-749f-4fac-b86e-73cc5dcdb1db6	

styleClass	fullTable	CSS
filterMap		
resultsPerPage	100	<hidePagination>

<filterMap>

filterUUID	61ccfce6-6c1b-4221-a5ce-561e1e71feb2	<mapToFilter> UUID
mapToFilter	dateFilter	dateFilter

XML

```
<!-- "See All Camps" link and popup for the report above -->
<modal>
  <title>Camp Rating List</title>
  <name>CampRatingListModal</name>
  <subcontent>
    <report> <!-- Report to be displayed in modal -->
      <display>TABLE</display>
      <uuid>0d16ddf3-749f-4fac-b86e-73cc5dcb1db6</uuid>
      <styleClass>fullTable</styleClass>
      <filterMap>
        <filterUUID>61ccfce6-6c1b-4221-a5ce-561e1e71feb2</filterUUID>
        <mapToFilter>dateFilter</mapToFilter>
      </filterMap>
      <resultsPerPage>100</resultsPerPage>
    </report>
  </subcontent>
</modal>
```

CSS


```

/* Modal Styling */
.reportModalLink {
    position: relative;
    bottom: -4px;
    float: right;
    right: 10px;
    cursor: pointer;
    font-weight: bold;
}
.modal {
    display: block;
    height: 100%;
    width: calc(100% - 230px);
    position: fixed;
    top: 0;
    left: 230px;
}
.modalBackground {
    position: absolute;
}
.modalContent {
    position: absolute;
    background-color: #FFFFFF;
    box-shadow: 5px 5px 5px #CCCCCC;
    height: 700px;
    width: 700px;
}
.modalContent .modalTopBar {
    background-color: #393737;
    color: #FFFFFF;
    overflow: hidden;
    padding: 8px;
}
.modalContent .modalTitle {
    font-size: 21px;
    float: left;
    font-family: sourceSansPro, sans-serif;
}
.modalContent .modalClose {
    float: right;
    font-size: 20px;
    font-family: cursive;
    cursor: pointer;
}
.modalContent .modalMainContent {
    clear: both;
    height: 100%;
}
.modal .reportHolder {
    height: auto;
}
.modal .fullTable {
    height: 656px;
    overflow-y: auto;
    overflow-x: hidden;
}

```

HTML

<customHTML> XMLHTMLYellowfin

Your camp started on: 19/4/2015

<report>

display	HIDDEN	HIDDEN
uuid	b0ebacf2-c51d-41c6-8a3f-09cef22adb67	Yellowfin UUID
filterMap		dateFilter<filterMap>

<filterMap>

filterUUID	ea41ba19-6362-4e97-b607-cc66d22cc5cb	<mapToFilter> UUID
mapToFilter	dateFilter	dateFilter

<customhtml>

styleClass	dashboardDates	CSS
html	<![CDATA[Your camp started on: <@- campStart @>]]>	CDATAHTMLCDATA<@- campStart @> <replacements> campStart
replacements		HTMLreplaceName<@- -><replacements>

<replacements>

replaceName	campStart	<customhtml> campStart
reportName	b0ebacf2-c51d-41c6-8a3f-09cef22adb67	UUIDHTML
valueColumn	0	<matchColumn> <matchValue> 0

XML

```

<!-- Report to return Camp Start Date -->
<report>
  <display>HIDDEN</display>
  <uuid>b0ebacf2-c51d-41c6-8a3f-09cef22adb67</uuid>
  <filterMap>
    <filterUUID>ea41ba19-6362-4e97-b607-cc66d22cc5cb</filterUUID>
    <mapToFilter>dateFilter</mapToFilter>
  </filterMap>
</report>

<!-- Custom HTML to display Camp Start Date -->
<customhtml>
  <styleClass>dashboardDates</styleClass>
  <html><![CDATA[<div>Your camp started on: <@- campStart @></div>]]></html>
  <replacements>
    <replaceName>campStart</replaceName>
    <reportName>b0ebacf2-c51d-41c6-8a3f-09cef22adb67</reportName>
    <valueColumn>0</valueColumn>
  </replacements>
</customhtml>

```

CSS

```

.dashboardDates {
  color: #909FAC;
  font-size: 13px;
  margin: 2px 0px 0px 0px;
  padding: 0px 15px;
}

```