

-
- SQL
-
- OLAP
-


Yellowfin

1.

a.



b.



| | |
|------|-----------|
| | |
| | Yellowfin |
| SQL | SQL |
| | |
| OLAP | OLAP |
| | |

Initialise View

I want to author the view using:

Drag and Drop Editor

The data I need for my view is sourced from:

Ski Team

Category List:

General Views

Edit Categories

Click here to continue

Once leaving this page, you cannot return to it.


2.
3.

Yellowfin

&

SQL

SQLYellowfin



SQLJavaSQLOrder by

Yellowfin

1.

2. Yellowfin

Initialise View

I want to author the view using:

Composite View

The data for this view will be cached in:

Excel / CSV Storage

Category List:

General Views

[Edit Categories](#)

Click here to continue

Once leaving this page, you cannot return to it.



OLAP

OLAP

1. OLAPOLAP
2. YellowfinOLAP
3. OLAP

Initialise View

I want to author the view using:

OLAP Cube

The data I need for my view is sourced from:

OLAP

The existing cube I would like to use is:

Adventure works

Mined Customers

Click here to continue

Once leaving this page, you cannot return to it.

OLAP

Yellowfin

- 1.

2.

The 'Initialize View' dialog box contains the following elements:

- I want to author the view using:** A dropdown menu with 'Stored Procedure' selected.
- The data I need for my view is sourced from:** A dropdown menu with 'Nepal' selected, accompanied by an information icon.
- The stored procedure I would like to use is:** A list box containing:
 - AddressIdAccessFilterProcedure
 - AddressIdAccessFilterProcedure2
 - CountryCodeAccessFilterProcedure** (highlighted)
 - ManyParameterAddressProcedure
- Category List:** A dropdown menu with 'General Views' selected, accompanied by an information icon, and a link labeled 'Edit Categories'.
- Click here to continue** button.
- Footnote: 'Once leaving this page, you cannot return to it.'

3. Yellowfin

4.

5.

The 'Step 1: Stored Procedure' window displays the following configuration details:

- Detected Parameters:** A table with one parameter:

| Parameter Name | Value |
|----------------|-------|
| @zipcode | |

 An 'Accept' button is visible next to the parameter.
- Current Result Set:** A table showing columns and their data types:

| Column Name | Type |
|-------------|---------|
| CountryName | VARCHAR |
| GeoPolygon | BLOB |
| ISOCode | VARCHAR |
| RegionName | VARCHAR |
| geoIDB | BLOB |
| geoIDT | BLOB |

 A 'Save' button is located at the bottom right of this section.
- View Options:** A sidebar on the right containing:
 - View Options:** A dropdown menu.
 - Stored Procedure:** A text field with 'CountryCodeAccessFilterProcedure'.
 - Name:** A text field with 'CountryCodeAccessFilterProcedure'.
 - Business Description:** A text area.
 - Technical Description:** A text area.
 - Audience:** A text area.
 - View Category:** A dropdown menu with 'General Views' selected.
 - Performance:**
 - Default Cache Period:** A text field with '0' and a unit dropdown set to 'hours'.
 - View Row Limit:** A text field with '0'.
 - View Security:** A text area.

6.

The 'Personal Views' window shows a complex configuration interface with multiple tabs and sections:

- Personal Views:** The main configuration area with various input fields and checkboxes.
- View Options:** A sidebar on the right with:
 - View Options:** A dropdown menu.
 - Stored Procedure:** A text field with 'CountryCodeAccessFilterProcedure'.
 - Name:** A text field with 'CountryCodeAccessFilterProcedure'.
 - Business Description:** A text area.
 - Technical Description:** A text area.
 - Audience:** A text area.
 - View Category:** A dropdown menu with 'General Views' selected.
 - Performance:**
 - Default Cache Period:** A text field with '0' and a unit dropdown set to 'hours'.
 - View Row Limit:** A text field with '0'.
 - View Security:** A text area.

7.