

- [web.xml](#)
 - [JSP](#)
 - [Web](#)
 - [Yellowfin](#)
 - [JavaJVM](#)
 - [Windows](#)
 - [Linux](#)
 - [Mac OSX](#)
- [Yellowfin](#)
- [Yellowfinweb.xml](#)

[web.xml](#)

[web.xml](#)
[Yellowfin](#)
[Yellowfinweb.xml](#)
[Yellowfin](#)

JSP

```
<ENTITY>YellowfinURL
<!ENTITY jsps SYSTEM "file:/C:/Program Files/Yellowfin/appserver/webapps/ROOT/WEB-INF/web-jsp.xml">
<!ENTITY jsps SYSTEM "file:/usr/Yellowfin/appserver/webapps/ROOT/WEB-INF/web-jsp.xml">
```

[Yellowfin](#)
[Yellowfinweb.xml](#)
[InitConnectionPool](#)
[servlet](#)

JDBCDriverClass	JDBC	
JDBCUrl	JDBC URL	
JDBCUser		
JDBCPassword		
JDBCPasswordEncrypted	JDBCPasswordtrue/false	false
JDBCMinCount		
JDBCMaxCount		
JDBCTimeout		300
PSCacheSize	1	20

```

97 ↓
98 <!--_Initiate_JDBC_Connection_Pooling_-->↓
99 <servlet>↓
100 <servlet-name>InitConnectionPool</servlet-name>↓
101 <servlet-class>com.hof.servlet.InitConnectionPool</servlet-class>↓
102 <init-param>↓
103 <param-name>Description</param-name>↓
104 <param-value>Yellowfin_Connection_Pool</param-value>↓
105 </init-param>↓
106 <init-param>↓
107 <param-name>JDBCDriverClass</param-name>↓
108 <param-value>com.mysql.jdbc.Driver</param-value>↓
109 </init-param>↓
110 <init-param>↓
111 <param-name>JDBCUrl</param-name>↓
112 <param-value>jdbc:mysql://localhost:3306/yellowfin7to71?characterEncoding=utf8</param-value>↓
113 </init-param>↓
114 <init-param>↓
115 <param-name>JDBCUser</param-name>↓
116 <param-value>yellowfin_user</param-value>↓
117 </init-param>↓
118 <!--↓
119 Password_to_the_configuration_database_connection_is_encrypted_at↓
120 installation_time. If you need to change this password, you can set↓
121 the JDBCPasswordEncrypted parameter to false, and store the password↓
122 in plaintext in the JDBCPassword parameter.↓
123 -->↓
124 <init-param>↓
125 <param-name>JDBCPassword</param-name>↓
126 <param-value>ilpPoa9W1G5wNqEQe5M6uQ==</param-value>↓
127 </init-param>↓
128 <init-param>↓
129 <param-name>JDBCPasswordEncrypted</param-name>↓
130 <param-value>true</param-value>↓
131 </init-param>↓

```

リポジトリDBのJDBCドライバ

リポジトリDBに接続するためのJDBC URL

DBユーザー名

DBユーザーのパスワード

DBユーザーのパスワード暗号化：
デフォルトはtrue (暗号化されています)

Yellowfin

YellowfinMIStartup<servlet>

ReportCacheSize		20
ReportCacheMaxAge		24
BIRTPath	BIRT	
ScanJarFiles	JDBCtrue/false	true
JDBCDrivers	JDBCScanJarFilesfalse	

YellowfinYellowfinWebweb.xml

```

<!-- Cluster Management -->
<servlet>
  <servlet-name>ClusterManagement</servlet-name>
  <servlet-class>com.hof.mi.servlet.ClusterManagement</servlet-class>
  <init-param>
    <param-name>ServiceUser</param-name>
    <param-value>admin@yellowfin.com.au</param-value>
  </init-param>
  <init-param>
    <param-name>ServicePassword</param-name>
    <param-value>test</param-value>
  </init-param>
  <init-param>
    <param-name>ServiceAddress</param-name>
    <param-value>/services/AdministrationService</param-value>
  </init-param>
  <init-param>
    <param-name>ServicePort</param-name>
    <param-value>80</param-value>
  </init-param>
  <init-param>
    <param-name>ClusterHosts</param-name>
    <param-value>
      192.168.4.196
    </param-value>
  </init-param>
  <load-on-startup>11</load-on-startup>
</servlet>

```

1. 1
 - 2.
 - 3.
- Yellowfinsales.jp@yellowfin.bi

CPUYellowfin

Web

Tomcat Web100

\$INSTALL_DIRECTORY\appserver\webapps\ROOT\WEB-INF\web.xml

InitConnectionPool

Yellowfin

YellowfinYellowfin

\$INSTALL_DIRECTORY\appserver\webapps\ROOT\WEB-INF\web.xml

25

Yellowfin


JavaJVM

YellowfinYellowfin
JVMYellowfin


Windows

YellowfinYellowfin\appserver\bin\service.bat

1. Yellowfinappserverbin
2. tomcat7w.exe //ES//Yellowfin



YellowfinJava



3. Yellowfin

Windows

YellowfinWindows

1. Yellowfin
2. Yellowfin\appserver\bin\catalina.bat
- 3.

```
rem Memory limits.  
rem Use these options to set the Java memory limits.  
rem -Xms128m sets the initial Java heap size to 128Mb  
rem -Xmx512m sets the maximum Java heap size to 512Mb  
rem To set memory limits uncomment the following line:  
rem set JAVA_OPTS=%JAVA_OPTS% -Xms128m -Xmx512m
```

4. "rem"Xmx
5. Yellowfin

Linux/Unix/Mac OSX

YellowfinLinux/Unix/Mac OSX

1. Yellowfin
2. <Yellowfin>/appserver/bin/catalina.sh
- 3.

```
# Memory limits.  
# Use these options to set the Java memory limits.  
# -Xms64m sets the initial Java heap size to 64Mb  
# -Xmx256m sets the maximum Java heap size to 256Mb  
#JAVA_OPTS="$JAVA_OPTS -Xms64m -Xmx256m"
```

4. Xmx
5. Yellowfin

Yellowfin <http://www.yellowfinbi.com/YFForum-General-questions-on-performance-?thread=104626>