



-
- SQL
-
- OLAP
-

Yellowfin

1.

a. 

b. 

	Yellowfin
SQL	SQL
OLAP	OLAP

Initialise View

I want to author the view using:

Drag and Drop Editor

The data I need for my view is sourced from:

Ski Team

Category List:

General Views

[Edit Categories](#)

Click here to continue

Once leaving this page, you cannot return to it.


2.
3.

Yellowfin

&

SQL

SQLYellowfin



: SQLJavaSQLOrder by

Yellowfin

1.

2. Yellowfin

The screenshot shows the 'Initialise View' window in Yellowfin. It contains the following elements:

- Window title: 'Initialise View' with close and maximize buttons.
- Section: 'I want to author the view using:' with a dropdown menu set to 'Composite View'.
- Section: 'The data for this view will be cached in:' with a dropdown menu set to 'Excel / CSV Storage' and an information icon.
- Section: 'Category List:' with a dropdown menu set to 'General Views' and an information icon, plus a link 'Edit Categories'.
- A blue button labeled 'Click here to continue' with a mouse cursor pointing at it.
- Footnote: 'Once leaving this page, you cannot return to it.'

OLAP

OLAP

1. OLAPOLAP
2. YellowfinOLAP
OLAP
- 3.

This screenshot shows the 'Initialise View' window configured for OLAP. It includes:

- Window title: 'Initialise View'.
- Section: 'I want to author the view using:' with a dropdown menu set to 'OLAP Cube'.
- Section: 'The data I need for my view is sourced from:' with a dropdown menu set to 'OLAP' and an information icon.
- Section: 'The existing cube I would like to use is:' with a list box containing 'Adventure works' (highlighted) and 'Mined Customers'.
- A blue button labeled 'Click here to continue' with a mouse cursor pointing at it.
- Footnote: 'Once leaving this page, you cannot return to it.'

: OLAP

Yellowfin

- 1.

2.

Initialise View

I want to author the view using:
Stored Procedure

The data I need for my view is sourced from:
Nepal

The stored procedure I would like to use is:
AddressIdAccessFilterProcedure
AddressIdAccessFilterProcedure2
CountryCodeAccessFilterProcedure
ManyParameterAddressProcedure

Category List:
General Views
Edit Categories

Click here to continue

Once leaving this page, you cannot return to it.

3. Yellowfin

4.

5.

Step 1: Stored Procedure

Detected Parameters

Parameter Name	Value
@code	

Accept

Current Result Set

Column Name	Type
CountryName	VARCHAR
GeoRegion	BLOB
ISOCode	VARCHAR
RegionName	VARCHAR
geoID	BLOB
geoID2	BLOB

Save

View Options

View Options

Stored Procedure:
CountryCodeAccessFilterProcedure

Name:
CountryCodeAccessFilterProcedure

Business Description:

New View:

Technical Description:

Audience:

View Category:
General Views

Performance:
Default Cache Period: 0 hours
View Row Limit: 0

View Security:

6.

View Designer

CountryCodeAccessFilterProcedure

View Options

View Options

Stored Procedure:
CountryCodeAccessFilterProcedure

Name:
CountryCodeAccessFilterProcedure

Business Description:

New View:

Technical Description:

Audience:

View Category:
General Views

Performance:
Default Cache Period: 0 hours
View Row Limit: 0

View Security:

7.