

# Yellowfin

- - Java
  - .war
  - Base
  - 
  - 
  - ID
  -
- - 
  - 
  - 
  - 
  -
- LDAP
  - LDAP
  - LDAP
- - 
  -
- SMTP
  - SMTP
  - SMTP
  - SMTP ServerSSL
  - SMTPStartTLS
  - SMTP
  - SMTP
  - SMTP
- - 
  - 
  - 
  -
- - 
  -
- - 
  - 
  - URL
  - URL
  - 
  - URL
  - URL

Yellowfin

## Java

	option.javahome
	YellowfinJavaJava

	option.javahome=/usr/lib/jvm/java-6-sun
--	---

	action.config.appname
	<b>Yellowfin</b>
	Yellowfin
	action.config.appname=BI Blue

### .war

	installer.warfilename
	Web.war
	yellowfin.war
	installer.warfilename=reports.war

	installer.applogfilename
	Yellowfin
	yellowfin.log
	installer.applogfilename=reports.log

### Base

	action.config.basetags
	YellowfinHTML<base> <b>YESNOCOMMENT</b>
	COMMENT
	action.config.basetags=NO

	action.config.dateformat
	<b>DMYMDYYMD</b>
	DMY
	action.config.dateformat=MDY

	action.config.exportfilename
	XML
	YellowfinExport.xml

	action.config.exportfilename=BIExport.xml
--	---

	action.config.supportemail
	support@yellowfin.com.au
	action.config.supportemail=support@example.com

## ID

	action.authentication.userid
	<b>trueID</b>
	false
	action.authentication.userid=true

	action.adminuser.username
	admin@yellowfin.com.au
	action.adminuser.username=adminuser

	action.adminuser.password
	test
	action.adminuser.password=secret

	action.adminuser.firstname

	action.adminuser.firstname=Joe
--	--------------------------------

	action.adminuser.lastname
	Administrator
	action.adminuser.lastname=Smith

	action.adminuser.email
	admin@yellowfin.com.au
	action.adminuser.lastname=admin@example.com

## LDAP

### LDAP

	action.config.ldapbinduser
	LDAP
	action.config.ldapbinduser=username

## LDAP

	action.config.ldapbindpassword
	LDAP
	action.config.ldapbindpassword=secret

	action.config.broadcastemail
	no-reply@yellowfin.com.au
	action.config.broadcastemail=reports@example.com

	action.config.broadcastname
	Yellowfin Reports
	action.config.broadcastname=BI Blue Reports

## SMTP

SMTP



SMTP

## SMTP

	action.config.smtpserver
	SMTP
	action.config.smtpserver=mail.example.com

## SMTP

	action.config.smtpport
	SMTP
	action.config.smtpport=465

## SMTP ServerSSL

	action.config.smtpssl
	SMTPSSLtrue
	false
	action.config.smtpssl=true

## SMTPStartTLS

	action.config.smtpstarttls
	SMTPStartTLSttrue
	false
	action.config.smtpstarttls=true

## SMTP

	action.config.smtpauth
	<b>SMTPtrue</b>
	false
	action.config.smtpauth=true

## SMTP

	action.config.smtpusername
	<b>SMTP</b>
	action.config.smtpusername=username

## SMTP

	action.config.smtppassword
	<b>SMTP</b>
	action.config.smtppassword=secret

	action.config.dashwidth
	1000
	action.config.dashwidth=800

	action.config.associatedreports
	<b>RIGHTOFF</b>
	RIGHT
	action.config.associatedreports=OFF

	action.config.dashanalyticfilters
	<b>LEFTRIGHT</b>
	action.config.dashanalyticfilters=RIGHT

	action.config.searchlocation
	<b>TOPRIGHTOFF</b>
	TOP
	action.config.searchlocation=RIGHT

	action.config.showtoolbar
	<b>false</b>
	true
	action.config.showtoolbar=false

	action.config.showtoolbarlogoff
	<b>false</b>
	true
	action.config.showtoolbarlogoff=false

	action.customindexpage
	action.customindexpage=resources/index.html

	action.config.headertype
	<b>STANDARDCUSTOMNONE</b>
	STANDARD

	action.config.headertype=NONE
--	-------------------------------

## URL

	action.config.standardheaderurl
	<b>STANDARDURLURL</b>
	action.config.standardheaderurl=header.html

## URL

	action.config.customheaderurl
	<b>CUSTOMURLURL</b>
	action.config.customheaderurl=header.html

	action.config.footertype
	<b>STANDARDCUSTOMNONE</b>
	STANDARD
	action.config.footertype=NONE

## URL

	action.config.standardfooterurl
	<b>STANDARDURLURL</b>
	action.config.standardfooterurl=footer.html

## URL

	action.config.customfooterurl
	<b>CUSTOMURLURL</b>
	action.config.customfooterurl=footer.html