



1	
2	
3	HTML
4	JavaScript
5	CSS
6	


- HTML
-



-




-
-
-



UUID

Yellowfin 9.5UUIDYellowfin 9.5UUID

 UUIDYellowfinUUID

- 1.
- 2. 2
- 3.
- 4. 12
- 5. HTML
- 6. HTML</canvas-area>YellowfinUUID

 2

```
<text-title publish-uuid="59bee07d-e354-486b-a395-0dbbc6886a7b" width="202" height="34" left="41" top="170" line-spacing="normal" character-spacing="0" rotation="0" opacity="100" style="z-index: 4"><b xmlns="http://www.w3.org/1999/xhtml"><font color="#009eec">Code Mode Demo</font></b></text-title>
<text-simple class="link" name="Link 1" publish-uuid="0b286f5f-6dce-46c2-b7a4-d2832b035c29" width="102" height="29" left="41" top="214" line-spacing="normal" character-spacing="0" rotation="0" opacity="100" style="z-index: 5">See Report 1</text-simple>
<text-simple class="link" name="Link 2" publish-uuid="7a6f61b3-fd46-4952-9ee9-dbe2efd1b622" width="108" height="36" left="41" top="243" line-spacing="normal" character-spacing="0" rotation="0" opacity="100" style="z-index: 7">See Report 2</text-simple>
```

7. 2/

8. JavaScript



1122

```
let link1 = this.apis.canvas.select('Link 1');
let link2 = this.apis.canvas.select('7a6f61b3-fd46-4952-9ee9-dbe2efd1b622');

let report1 = this.apis.canvas.select('Report 1');
let report2 = this.apis.canvas.select('Report 2');

$(report2).css({ visibility: 'hidden' });

/* Use external libraries and custom scripts */

requirejs(['jquery'], function($) {
  link1.addEventListener('click', (e) => {
    $(report1).css({ visibility: 'visible' });
    $(report2).css({ visibility: 'hidden' });
  });
  link2.addEventListener('click', (e) => {
    $(report1).css({ visibility: 'hidden' });
    $(report2).css({ visibility: 'visible' });
  });
});
```

9.

10. 2