

-
-
-
-
-
- RepositoryErrorAppender
 - Yellowfin 9.4
 - Yellowfin 9.0 - 9.3
- SourceLog
 - Yellowfin 9.4
 - Yellowfin 9.0 - 9.3
-
- - Yellowfin
-
-
-
- Yellowfin
-

YellowfinTomcat

YellowfinInstallLog-YYYYMMDD.log YYYYMMDD	Yellowfin application	
YellowfinPatchLog-YYYYMMDD.log YYYYMMDD	Yellowfin application	
Yellowfin.log	appserver > logs	Yellowfin Yellowfin 1024KB9Yellowfin.log.1, Yellowfin.log.2, Yellowfin.log
JDBC.log	appserver > logs	Yellowfin
source.XXXX.log XXXXID	appserver > logs	ID
catalina.YYYY-MM-DD.log YYYY-MM-DDTomcat	appserver > logs	Tomcat
yellowfin-stdout_YYYY-MM-DD.log yellowfin-Windows YYYY-MM-DD Yellowfin	appserver > logs	YellowfinWindows Yellowfin
yellowfin-stderr_YYYY-MM-DD.log yellowfin-Windows YYYY-MM-DD Yellowfin	appserver > logs	YellowfinWindows stdout
commons-daemon._service.YYYY-MM-DD.log YYYY-MM-DDYellowfin	appserver > logs	YellowfinWindows Windows
Catalina.out	appserver > logs	YellowfinMac (OS XLinux boxYellowfinStartup (background)Windows boxStartup (terminal)Yellowfin Yellowfin


DockerKubernetes**json-file** Yellowfin JSON

() Yellowfin Docker/Kubernetes

DockerKubernetes[Docker Kubernetes](#)

Yellowfin/appserver/webapps/ROOT/WEB-INF

Yellowfin		
Yellowfin 9.4	log4j2.xml	log4j2Yellowfin 9.4
Yellowfin 9.0 - 9.3	log4j.properties	Yellowfinlog4j

 Yellowfin Windows

DBYellowfinJava class classLog4j2 [Log4j2](#)

RepositoryErrorAppender

RepositoryErrorAppenderYellowfin Log4j

INFODEBUGERRORFATAL

RepositoryErrorAppender

Yellowfin 9.4

Yellowfin 9.4

- 1. **log4j2.xml** ()
- 2. <Appenders>

```
<RepositoryErrorAppender name="repos" />
```

- 3. <Loggers>
RootreposRootlog4j2 Yellowfin

```
<Root level="INFO">  
  <AppenderRef ref="applog" />  
  <AppenderRef ref="cons" />  
  <AppenderRef ref="repos" />  
</Root>
```

4. class
com.hof.clusterclass reposYellowfinclassERRORINFO

```
<Logger name="com.hof.cluster" level="INFO">  
  <AppenderRef ref="repos" />  
</Logger>
```

Yellowfin 9.0 - 9.3

Yellowfin 9.0 - 9.3

1. log4j.properties ()

```
log4j.appender.repos=com.hof.adapter.RepositoryErrorAppender
```

2. log4j.properties
reposYellowfin

```
log4j.rootCategory=INFO, cons, applog, repos
```

3. class
com.hof.clusterclass reposYellowfinclassERRORINFO

```
log4j.category.com.hof.cluster=INFO, repos
```

Sourcelog

Log4jSourcelog

RollingFileAppenderRollingFileAppender

%Yellowfin sourceId

Yellowfin DBConnectionPool

Sourcelog

Yellowfin 9.4

Sourcelog **log4j2.xml** <Appenders>

```
<SourceLog name="sourcelog" fileName="C:/logs/source.%s.log" filePattern="C:/logs/source.%s.log.%i"  
maxFileSize="1024KB" maxFiles="9">  
<PatternLayout pattern="%d{yyyy-MM-dd HH:mm:ss.SSS} %6p: %m%n" />  
</SourceLog>
```

Yellowfin 9.0 - 9.3

Sourcelog **log4j.properties**

```
log4j.appender.sourcelog=com.hof.pool.SourceLogAppender
log4j.appender.sourcelog.File=C:/logs/source.%s.log
log4j.appender.sourcelog.MaxFileSize=1024KB
log4j.appender.sourcelog.MaxBackupIndex=9
log4j.appender.sourcelog.layout=org.apache.log4j.PatternLayout
log4j.appender.sourcelog.layout.ConversionPattern=%d{yyyy-MM-dd HH:mm:ss} %6p: %m%n
```

- Yellowfin

[Yellowfin](#)

-
-

- [AWSYellowfin](#)
- [AzureYellowfin](#)
- [Google Cloud PlatformYellowfin](#)

- [Docker](#)
- [Kubernetes](#)
- [Yellowfin](#)

Yellowfin

[Yellowfin](#)

-
- [Yellowfin](#)
-

-
- [Yellowfin](#)
- [LinuxYellowfin](#)
- [SAML Bridge](#)
-

