

- 
- 
- 
- 
- RepositoryErrorAppender
  - RepositoryErrorAppender - Yellowfin 8.0.8
  - RepositoryErrorAppender - Yellowfin 8.0.1 - 8.0.7
- Sourcelog
  - Sourcelog - Yellowfin 8.0.8
  - Sourcelog - Yellowfin 8.0.1 - 8.0.7

#### YellowfinTomcat

<b>YellowfinInstallLog-YYYYMMDD.log</b> YYYYMMDD	Yellowfin application	
<b>YellowfinPatchLog-YYYYMMDD.log</b> YYYYMMDD	Yellowfin application	
<b>Yellowfin.log</b>	appserver > logs	Yellowfin Yellowfin 1024KB9Yellowfin.log.1, Yellowfin.log.2, Yellowfin.log
<b>JDBC.log</b>	appserver > logs	Yellowfin
<b>source.XXXX.log</b> XXXXID	appserver > logs	ID
<b>catalina.YYYY-MM-DD.log</b> YYYY-MM-DDTomcat	appserver > logs	Tomcat
<b>yellowfin-stdout_YYYY-MM-DD.log</b> yellowfin-Windows YYYY-MM-DD Yellowfin	appserver > logs	YellowfinWindows Yellowfin
<b>yellowfin-stderr_YYYY-MM-DD.log</b> yellowfin-Windows YYYY-MM-DD Yellowfin	appserver > logs	YellowfinWindows <i>stdout</i>
<b>commons-daemon._service.YYYY-MM-DD.log</b> YYYY-MM-DDYellowfin	appserver > logs	YellowfinWindows Windows
<b>Catalina.out</b>	appserver > logs	YellowfinMac (OS XLinux boxYellowfinStartup (background)Windows boxStartup (terminal)Yellowfin Yellowfin

#### Yellowfin/appserver/webapps/ROOT/WEB-INF

Yellowfin		
Yellowfin 8.0.8	log4j2.xml	log4j2Yellowfin 8.0.8
Yellowfin 8.0.1 - 8.0.7	log4j.properties	Yellowfinlog4j



Yellowfin Windows

DBYellowfinJava class classLog4j2 [Log4j2](#)

## RepositoryErrorAppender

RepositoryErrorAppenderYellowfin Log4j2

INFODEBUGERRORFATAL

RepositoryErrorAppender

### RepositoryErrorAppender - Yellowfin 8.0.8

log4j2.xml

- 1.
- 2.

1.<Appenders>

```
<RepositoryErrorAppender name="repos" />
```

2.<Loggers>RootreposRootlog4j2 YellowfinDB

```
<Root level="INFO">
    <AppenderRef ref="applog" />
    <AppenderRef ref="cons" />
    <AppenderRef ref="repos" />
</Root>
```

classcom.hof.clusterclass reposYellowfinclassDBERRORINFO

```
<Logger name="com.hof.cluster" level="INFO">
    <AppenderRef ref="repos" />
</Logger>
```

### RepositoryErrorAppender - Yellowfin 8.0.1 - 8.0.7

log4j2.properties

- 1.

2.

#### 1.log4j.properties

```
log4j.rootCategory=INFO, cons, applog, repos
```

#### 2.log4j.properties reposYellowfinDB

```
log4j.rootCategory=INFO, cons, applog, repos
```

classcom.hof.clusterclass reposYellowfinclassDBERRORINFO

```
log4j.category.com.hof.cluster=INFO, repos
```

## Sourcelog

SourcelogLog4j

RollingFileAppenderRollingFileAppender

%Yellowfin sourceld

Yellowfin DBConnectionPool

Sourcelog

### Sourcelog - Yellowfin 8.0.8

Sourcelog log4j2.xml <Appenders>

```
<SourceLog name="sourcelog" fileName="C:/logs/source.%s.log" filePattern="C:/logs/source.%s.log.%i"
maxFileSize="1024KB" maxFiles="9">
<PatternLayout pattern="%d{yyyy-MM-dd HH:mm:ss.SSS} %6p: %m%n" />
</SourceLog>
```

### Sourcelog - Yellowfin 8.0.1 - 8.0.7

Sourcelog log4j.properties

```
log4j.appender.sourcelog=com.hof.pool.SourceLogAppender
log4j.appender.sourcelog.File=C:/logs/source.%s.log
log4j.appender.sourcelog.MaxFileSize=1024KB
log4j.appender.sourcelog.MaxBackupIndex=9
log4j.appender.sourcelog.layout=org.apache.log4j.PatternLayout
log4j.appender.sourcelog.layout.ConversionPattern=%d{yyyy-MM-dd HH:mm:ss} %6p: %m%n
```