

Table Properties

- [Overview](#)
- [Create Alias](#)
- [View Sample Data](#)
- [Select Table Columns](#)

Overview

[top](#)

You can update or view the properties of any table in your view by clicking on the properties link on the table. When you click on the link the View Options property section is updated with the selected table information.

The image shows a screenshot of a software interface. On the left, a context menu for the table 'Athlete Fact Filtered' is open, displaying a list of column names: AGEATCAMP, AGEGROUPATCAMP, AGENCYID, BOOKINGCURRENCY, BOOKINGMETHOD, BOOKINGSTEP, CAMPAIGNID, CAMPID, CAMPLENGTH, CAMPRATING, CANCELLATIONFEE, COST, DEMOGRAPHIC, ENDDATE, INVOICEDAMOUNT, INVOICEDDATE, INVOICEESTIMATE, PERSONID, STARTDATE, STATUS, and a 'View Data' link. Below the list is a 'Properties' link with a hand cursor icon. On the right, the 'View Options' panel is shown. It has a title bar 'View Options' and a 'View Options' button. Below it is a section 'Metadata: Athlete Fact Filte' containing 'Source Name: 'PUBLIC"."ATHLETEFACT'', 'Display Name: Athlete Fact Filtered' (in a text box), and a 'Description:' text area. There is a 'View Data' link and a 'Mandatory' checkbox. At the bottom, there are three expandable sections: 'Columns: Athlete Fact Filte', 'Joins: Athlete Fact Filtered', and 'Conditions: Athlete Fact Filte'.


Create Alias

[top](#)

When adding more than one of the same table to a view Yellowfin automatically creates table aliases, since two tables cannot have the same name. An alias is created by updating the table name.

To change the table name you can update the display name in the options menu.

Note: that the source name continues to be displayed in the original format.



View Sample Data

[top](#)

If you wish to see example data from the table that is currently being updated you can click the view data link located in the main table properties section or on the table within the table on the entity builder.

Any conditions that have been applied to the table will be applied to the select statement for the example data. However, if the joins to the table have implied conditions these will not be included in the example select data.

Row ID	Row ID	Row ID	Row ID	Row ID	Row ID	Row ID	Row ID	Row ID	Row ID
17	30-36	4	EUR	PHONE	5. Top	01037	12027		
18	30-36	4	EUR	PHONE	5. Top	01037	12027		
19	30-36	4	EUR	PHONE	5. Top	01037	12027		
20	30-36	4	EUR	PHONE	5. Top	01037	12027		
21	30-36	4	EUR	PHONE	5. Top	01037	12027		
22	30-36	4	EUR	PHONE	5. Top	01037	12027		
23	30-36	4	EUR	PHONE	5. Top	01037	12027		
24	30-36	4	EUR	PHONE	5. Top	01037	12027		
25	30-36	4	EUR	PHONE	5. Top	01037	12027		
26	30-36	4	EUR	PHONE	5. Top	01037	12027		
27	30-36	4	EUR	PHONE	5. Top	01037	12027		
28	30-36	4	EUR	PHONE	5. Top	01037	12027		
29	30-36	4	EUR	PHONE	5. Top	01037	12027		
30	30-36	4	EUR	PHONE	5. Top	01037	12027		
31	30-36	4	EUR	PHONE	5. Top	01037	12027		
32	30-36	4	EUR	PHONE	5. Top	01037	12027		
33	30-36	4	EUR	PHONE	5. Top	01037	12027		
34	30-36	4	EUR	PHONE	5. Top	01037	12027		
35	30-36	4	EUR	PHONE	5. Top	01037	12027		
36	30-36	4	EUR	PHONE	5. Top	01037	12027		
37	30-36	4	EUR	PHONE	5. Top	01037	12027		
38	30-36	4	EUR	PHONE	5. Top	01037	12027		
39	30-36	4	EUR	PHONE	5. Top	01037	12027		
40	30-36	4	EUR	PHONE	5. Top	01037	12027		
41	30-36	4	EUR	PHONE	5. Top	01037	12027		
42	30-36	4	EUR	PHONE	5. Top	01037	12027		
43	30-36	4	EUR	PHONE	5. Top	01037	12027		
44	30-36	4	EUR	PHONE	5. Top	01037	12027		
45	30-36	4	EUR	PHONE	5. Top	01037	12027		
46	30-36	4	EUR	PHONE	5. Top	01037	12027		
47	30-36	4	EUR	PHONE	5. Top	01037	12027		
48	30-36	4	EUR	PHONE	5. Top	01037	12027		
49	30-36	4	EUR	PHONE	5. Top	01037	12027		
50	30-36	4	EUR	PHONE	5. Top	01037	12027		
51	30-36	4	EUR	PHONE	5. Top	01037	12027		
52	30-36	4	EUR	PHONE	5. Top	01037	12027		
53	30-36	4	EUR	PHONE	5. Top	01037	12027		
54	30-36	4	EUR	PHONE	5. Top	01037	12027		
55	30-36	4	EUR	PHONE	5. Top	01037	12027		
56	30-36	4	EUR	PHONE	5. Top	01037	12027		
57	30-36	4	EUR	PHONE	5. Top	01037	12027		
58	30-36	4	EUR	PHONE	5. Top	01037	12027		
59	30-36	4	EUR	PHONE	5. Top	01037	12027		
60	30-36	4	EUR	PHONE	5. Top	01037	12027		
61	30-36	4	EUR	PHONE	5. Top	01037	12027		
62	30-36	4	EUR	PHONE	5. Top	01037	12027		
63	30-36	4	EUR	PHONE	5. Top	01037	12027		
64	30-36	4	EUR	PHONE	5. Top	01037	12027		
65	30-36	4	EUR	PHONE	5. Top	01037	12027		
66	30-36	4	EUR	PHONE	5. Top	01037	12027		
67	30-36	4	EUR	PHONE	5. Top	01037	12027		
68	30-36	4	EUR	PHONE	5. Top	01037	12027		
69	30-36	4	EUR	PHONE	5. Top	01037	12027		
70	30-36	4	EUR	PHONE	5. Top	01037	12027		
71	30-36	4	EUR	PHONE	5. Top	01037	12027		
72	30-36	4	EUR	PHONE	5. Top	01037	12027		
73	30-36	4	EUR	PHONE	5. Top	01037	12027		
74	30-36	4	EUR	PHONE	5. Top	01037	12027		
75	30-36	4	EUR	PHONE	5. Top	01037	12027		
76	30-36	4	EUR	PHONE	5. Top	01037	12027		
77	30-36	4	EUR	PHONE	5. Top	01037	12027		
78	30-36	4	EUR	PHONE	5. Top	01037	12027		
79	30-36	4	EUR	PHONE	5. Top	01037	12027		
80	30-36	4	EUR	PHONE	5. Top	01037	12027		
81	30-36	4	EUR	PHONE	5. Top	01037	12027		
82	30-36	4	EUR	PHONE	5. Top	01037	12027		
83	30-36	4	EUR	PHONE	5. Top	01037	12027		
84	30-36	4	EUR	PHONE	5. Top	01037	12027		
85	30-36	4	EUR	PHONE	5. Top	01037	12027		
86	30-36	4	EUR	PHONE	5. Top	01037	12027		
87	30-36	4	EUR	PHONE	5. Top	01037	12027		
88	30-36	4	EUR	PHONE	5. Top	01037	12027		
89	30-36	4	EUR	PHONE	5. Top	01037	12027		
90	30-36	4	EUR	PHONE	5. Top	01037	12027		
91	30-36	4	EUR	PHONE	5. Top	01037	12027		
92	30-36	4	EUR	PHONE	5. Top	01037	12027		
93	30-36	4	EUR	PHONE	5. Top	01037	12027		
94	30-36	4	EUR	PHONE	5. Top	01037	12027		
95	30-36	4	EUR	PHONE	5. Top	01037	12027		
96	30-36	4	EUR	PHONE	5. Top	01037	12027		
97	30-36	4	EUR	PHONE	5. Top	01037	12027		
98	30-36	4	EUR	PHONE	5. Top	01037	12027		
99	30-36	4	EUR	PHONE	5. Top	01037	12027		
100	30-36	4	EUR	PHONE	5. Top	01037	12027		

Select Table Columns

[top](#)

When tables are selected and joined together you have the option to add as many or as few of the columns from each of the tables into your view.

1. To add a field into your view click the table properties link to display the properties in the View Options pane.
2. Click the expand icon on the column section
3. Select the columns you wish to add (Use the Select All link to select all columns)
4. Columns selected will be displayed in bold within the table on the canvas - as depicted below.

5. You can also add columns from the table data view - see above. Simply click on the column to highlight the column - these will then be added to your column list.

Athlete Fact Filtered

AGEATCAMP
AGEGROUPATCAMP
AGENCYID
BOOKINGCURRENCY
BOOKINGMETHOD
BOOKINGSTEP
CAMPAIGNID
CAMPID
CAMPLENGTH
CAMPRATING
CANCELLATIONFEE
COST
DEMOGRAPHIC
ENDDATE
INVOICEDAMOUNT
INVOICEDDATE
INVOICEESTIMATE
PERSONID
STARTDATE
STATUS
[View Data](#)

Properties

View Options

View Options

Metadata: Athlete Fact Filte

Columns: Athlete Fact Filte

Select All Deselect All

☐ AGEATCAMP
☐ AGEGROUPATCAMP
☐ AGENCYID
☐ BOOKINGCURRENCY
☐ BOOKINGMETHOD
☐ BOOKINGSTEP
☐ CAMPAIGNID
☐ CAMPID
☐ CAMPLENGTH
☐ CAMPRATING
☐ CANCELLATIONFEE
☐ COST
☐ DEMOGRAPHIC
☐ ENDDATE
☒ INVOICEDAMOUNT
☒ INVOICEDDATE
☒ INVOICEESTIMATE
☒ PERSONID
☐ STARTDATE
☐ STATUS

Select All Deselect All

Joins: Athlete Fact Filtered

Conditions: Athlete Fact Fil