

Yellowfin

- - - Java
 - .war
 - Base
 - ID
 - -
 -
 -
 -
 -
 - LDAP
 - LDAP
 - LDAP
 - -
 -
 - SMTP
 - SMTP
 - SMTP
 - SMTP ServerSSL
 - SMTPStartTLS
 - SMTP
 - SMTP
 - SMTP
 - -
 -
 -
 -
 - -
 -
 - -
 -
 - URL
 - URL
 -
 - URL
 - URL
 -

Yellowfin

Java

	option.javahome
	YellowfinJavaJava

	option.javahome=/usr/lib/jvm/java-6-sun
--	---

	action.config.appname
	Yellowfin
	Yellowfin
	action.config.appname=BI Blue

.war

	installer.warfilename
	Web.war
	yellowfin.war
	installer.warfilename=reports.war

	installer.applogfilename
	Yellowfin
	yellowfin.log
	installer.applogfilename=reports.log

Base

	action.config.basetags
	YellowfinHTML<base> YESNOCOMMENT
	COMMENT
	action.config.basetags=NO

	action.config.dateformat
	DMYMDYYMD
	DMY
	action.config.dateformat=MDY

	action.config.exportfilename
	XML
	YellowfinExport.xml

	action.config.exportfilename=BIExport.xml
--	---

	action.config.supportemail
	support@yellowfin.com.au
	action.config.supportemail=support@example.com

ID

	action.authentication.userid
	trueID
	false
	action.authentication.userid=true

|

	action.adminuser.username
	admin@yellowfin.com.au
	action.adminuser.username=adminuser

	action.adminuser.password
	test
	action.adminuser.password=secret

	action.adminuser.firstname

	<code>action.adminuser.firstname=Joe</code>
--	---

	<code>action.adminuser.lastname</code>
	Administrator
	<code>action.adminuser.lastname=Smith</code>

	<code>action.adminuser.email</code>
	admin@yellowfin.com.au
	<code>action.adminuser.lastname=admin@example.com</code>

LDAP

LDAP

	<code>action.config.ldapbinduser</code>
	LDAP
	<code>action.config.ldapbinduser=username</code>

LDAP


	<code>action.config.ldapbindpassword</code>
	LDAP
	<code>action.config.ldapbindpassword=secret</code>

	<code>action.config.broadcastemail</code>
	no-reply@yellowfin.com.au
	<code>action.config.broadcastemail=reports@example.com</code>

	<code>action.config.broadcastname</code>
	Yellowfin Reports
	<code>action.config.broadcastname=BI Blue Reports</code>

SMTP

SMTP

 SMTP

SMTP

	<code>action.config.smtpserver</code>
	SMTP
	<code>action.config.smtpserver=mail.example.com</code>

SMTP

	<code>action.config.smtpport</code>
	SMTP
	<code>action.config.smtpport=465</code>

SMTP ServerSSL

	<code>action.config.smtpssl</code>
	SMTPSSLtrue
	false
	<code>action.config.smtpssl=true</code>

SMTPStartTLS

	<code>action.config.smtpstarttls</code>
	SMTPStartTLStrue
	false
	<code>action.config.smtpstarttls=true</code>

SMTP

	action.config.smtpauth
	SMTPtrue
	false
	action.config.smtpauth=true

SMTP

	action.config.smtpusername
	SMTP
	action.config.smtpusername=username

SMTP

	action.config.smtppassword
	SMTP
	action.config.smtppassword=secret

	action.config.dashwidth
	1000
	action.config.dashwidth=800

	action.config.associatedreports
	RIGHTOFF
	RIGHT
	action.config.associatedreports=OFF

	action.config.dashanalyticfilters
	LEFTRIGHT
	action.config.dashanalyticfilters=RIGHT

	<code>action.config.searchlocation</code>
	TOPRIGHTOFF
	TOP
	<code>action.config.searchlocation=RIGHT</code>

	<code>action.config.showtoolbar</code>
	false
	true
	<code>action.config.showtoolbar=false</code>

	<code>action.config.showtoolbarlogoff</code>
	false
	true
	<code>action.config.showtoolbarlogoff=false</code>

	<code>action.customindexpage</code>
	<code>action.customindexpage=resources/index.html</code>

	<code>action.config.headertype</code>
	STANDARDCUSTOMNONE
	STANDARD
	<code>action.config.headertype=NONE</code>

URL

	action.config.standardheaderurl
	STANDARDURLURL
	action.config.standardheaderurl=header.html

URL

	action.config.customheaderurl
	CUSTOMURLURLURL
	action.config.customheaderurl=header.html

	action.config.footertype
	STANDARDCUSTOMNONE
	STANDARD
	action.config.footertype=NONE

URL

	action.config.standardfooterurl
	STANDARDURLURL
	action.config.standardfooterurl=footer.html

URL

	action.config.customfooterurl
	CUSTOMURLURLURL
	action.config.customfooterurl=footer.html



regional"5^regional\"5^
,@|&"