



Yellowfin

- 1.
- 2.
- 3.
- 4. Yellowfin

- 1.
- 2.
- 3.
- 4. Yellowfin
- 5. -

- 1.
- 2.
- 3.
- 4.
- 5.

custom.propertiesJava

Yellowfin

= #

```
java -jar yellowfin-yyyyymmdd-full.jar [-cmd|-gui] [property ...]
java -jar yellowfin-yyyyymmdd-full.jar -silent [silentpropertiesfile [property ...]]
```

key=value-key=value

```
java -jar yellowfin-yyyyymmdd-full.jar option.serverport=80 option.winservice=true
```

-silent

```
java -jar yellowfin-yyyyymmdd-full.jar -silent install.properties
```

```
java -jar yellowfin-yyyyymmdd-full.jar -silent option.serverport=8090
```

		custom.properties
JavaHome	YellowfinJava	option.javahome
InstallPath	Yellowfin	option.installpath
InstallTutorialDatabase		option.pack.tutorial
LicenceFilePath	Yellowfin	option.licencefile
ServicePort	Web	option.serverport
InstallService	Windows	option.winservice
AppMemory	YellowfinRAM75%	option.appmemory
DatabaseType	Yellowfin	option.db.dbtype
Authentication	SQL Server	option.db.sqlauthtype
LogonDomain	SQL ServerWindows	option.db.sqldomain
SQLServerNamedInstance	SQL Server	option.db.sqlinstance
ProgressDriver	ProgressJDBC	option.db.progressdriver
CreateYellowfinDB	Yellowfin	option.db.createdb
CreateYellowfinDBUser		option.db.createuser
DatabaseHostname	Yellowfin	option.db.hostname
DatabasePort	Yellowfin	option.db.port

DatabaseName	Yellowfin OracleSIDOracle	option.db.dbname
DatabaseDBAUser		option.db.dbusername
DatabaseDBAPassword		option.db.dbapassword
DatabaseUser	Yellowfin	option.db.username
DatabasePassword	Yellowfin	option.db.userpassword
ORACLEMODE	OracleSIDDatabaseName OracleOracle	option.db.oracleconnectionmode
JDBCDriverFiles	JDBC jar	option.db.jdbcdriverfiles
OracleAuth	OracleKerberosKerberosuser	
KerberosFilePath	Kerberos	

```

InstallPath=/applications/yellowfin
InstallTutorialDatabase=true
ServicePort=8080
InstallService=false
DatabaseType=MySQL
CreateYellowfinDB=true
CreateYellowfinDBUser=talse
DatabaseHostname=localhost
DatabaseName=yellowfin
DatabaseDBAUser=root
DatabaseDBAPassword=secret
DatabaseUser=yf
DatabasePassword=

```

Oracle

```

DatabaseType=Oracle
DatabasePort=1521
ORACLEMODE=service
DatabaseName=ORCL

```