

BMC Action Request



/Yellowfin

YellowfinBMC Action Request

1.



2. BMC Action Request

FEATURED

Amazon Redshift

Google BigQuery

Microsoft SQL Server

MySQL

Oracle

PostgreSQL

Snowflake

Cube

JNDI

CSV

Please, select the kind of data source you want to add.

Search

Apache Hive

Add Driver

Apache Hive 2

Add Driver

BMC Action Request

Clickhouse

Add Driver

Columnar DB (Deprecated)

Composite Information Server

Add Driver

Connection Cloud

Add Driver

Data Booster

Add Driver

Databricks

Add Driver

Embarcadero Interbase

Add Driver

Cancel

3. ()

4. : JDBC

接続方法

☐ 標準
☒ 接続文字

5.

Authentication Adapter

Standard Authentication

☒ Include Schema in SQL

Database Host

Database Port

0

Custom Parameters

JDBC Driver

com.bmc.arsys.jdbc.core.Driver

User Name

Password

6. :

7. **SQL:** SQL

8. : BMC Action RequestIP

9. : TCP/IP ()

10. : : refreshCache=10;rowLimit=10000;DateTimeFormat=MM/dd/yyyy hh:mm:ss a;DateFormat=yyyy-MM-dd;mode=new;locale=en;timeZone=AUSTRALIA/SYDNEY

11. **JDBC:** BMC Action RequestJDBC

JDBC Driver

com.bmc.arsys.jdbc.core.Driver

12. : BMC Action Request

13. :

14.

▼ 高度

15.

← 戻る

保存

テスト接続

キャンセル

- :
- :
- : Yellowfin

← 戻る

保存

✓ テスト接続

キャンセル

- :

新規データソース作成

×

✓ データソースを保存しました

データソースへの接続に成功しました。

閉じる