

-
-
-
-

-
-
-

Background Execution

Let's make this easy.

You can manage all your report queries here, viewing and taking action on queries both queued and running.

Queries can be cancelled or promoted.

?

Need help?
Visit the Yellowfin forum or wiki to find the answers you are looking for.

Background Execution

Refresh

Running

Name	Requestor	Started Running	Running Time	State	
Sales by Artist & Genre	System Administrator	10/8/2016 13:41:46	67.337s	Cross Tab	

Waiting





Name	Requestor	Enqueued Time	Waiting Time
None Found			

Running

Name	Requestor	Started Running	Running Time	State	
Artist Transactions	Mauve Jordan	12/8/2016 10:3:32	7.479s	Query	
Sales by Artist & Genre	Mauve Jordan	12/8/2016 10:3:32	7.482s	Query	
Sales by Artist & Genre	Violet Southgate	12/8/2016 10:2:58	41.046s	Cross Tab	
Store Sales	Mauve Jordan	12/8/2016 10:3:32	7.484s	Query	

	Yellowfin
	<ul style="list-style-type: none">○○○○

	
---	--

Running					
Name	Requestor	Started Running	Running Time	State	
Artist Transactions	Mauve Jordan	12/8/2016 10:3:32	7.479s	Query	
Sales by Artist & Genre	Mauve Jordan	12/8/2016 10:3:32	7.482s	Query	
Sales by Artist & Genre	Violet Southgate	12/8/2016 10:2:58	41.046s	Cross Tab	
Store Sales	Mauve Jordan	12/8/2016 10:3:32	7.484s	Query	

	Yellowfin
	
	

web.xml

web.xmlYellowfin\appserver\webapps\ROOTWEB-INF\

```

<!-- Execution queue values -->
<!-- Uncomment these values if you want to customise the behaviour of the background execution queue.

    ExecutionQueueConcurrentTasks:      The number of reports that can be run concurrently.
                                         Default: 5 times the number of CPU cores available on the server.
    ExecutionQueueInitialWaitTime:      How long the server will wait (in seconds) to finish a report before
                                         the client shows the delivery popup and start polling.
                                         Default: 5 seconds
    ExecutionQueueMaximumExecutionTime: The maximum time (in minutes) the reports can be running in the
                                         execution queue before they are killed.
                                         Default: 240 minutes (4 hours)

<init-param>
  <param-name>ExecutionQueueConcurrentTasks</param-name>
  <param-value>10</param-value>
</init-param>
<init-param>
  <param-name>ExecutionQueueInitialWaitTime</param-name>
  <param-value>5</param-value>
</init-param>
<init-param>
  <param-name>ExecutionQueueMaximumExecutionTime</param-name>
  <param-value>240</param-value>
</init-param>
-->

```

5 x CPU

```

<init-param>
  <param-name>ExecutionQueueConcurrentTasks</param-name>
  <param-value>10</param-value>
</init-param>

```

5

```

<init-param>
  <param-name>ExecutionQueueInitialWaitTime</param-name>
  <param-value>5</param-value>
</init-param>

```

2404

```

<init-param>
  <param-name>ExecutionQueueMaximumExecutionTime</param-name>
  <param-value>240</param-value>
</init-param>

```