

# Yellowfin

- - - Java
    - .war
    - Base
    - ID
  - - 
    - 
    - 
    -
  - LDAP
    - LDAP
    - LDAP
  - - 
    -
  - SMTP
    - SMTP
    - SMTP
    - SMTP ServerSSL
    - SMTPStartTLS
    - SMTP
    - SMTP
    - SMTP
  - - 
    - 
    - 
    -
  - - 
    -
  - - 
    - 
    - URL
    - URL
    - 
    - URL
    - URL
  -

Yellowfin

## Java

	option.javahome
	YellowfinJavaJava
	option.javahome=/usr/lib/jvm/java-6-sun

	action.config.appname
	<b>Yellowfin</b>
	Yellowfin
	action.config.appname=BI Blue

## .war

	installer.warfilename
	Web.war
	yellowfin.war
	installer.warfilename=reports.war

	installer.applogfilename
	Yellowfin
	yellowfin.log
	installer.applogfilename=reports.log

## Base

	action.config.basetags
	YellowfinHTML<base> <b>YESNOCOMMENT</b>
	COMMENT
	action.config.basetags=NO

	action.config.dateformat
	<b>DMYMDYYMD</b>
	DMY
	action.config.dateformat=MDY

	action.config.exportfilename
	XML
	YellowfinExport.xml
	action.config.exportfilename=BIExport.xml

	action.config.supportemail
	support@yellowfin.com.au
	action.config.supportemail=support@example.com

ID

	action.authentication.userid
	trueID
	false
	action.authentication.userid=true

|

	action.adminuser.username
	admin@yellowfin.com.au
	action.adminuser.username=adminuser

	action.adminuser.password
	test
	action.adminuser.password=secret

	action.adminuser.firstname
	action.adminuser.firstname=Joe

	action.adminuser.lastname
	Administrator
	action.adminuser.lastname=Smith

	action.adminuser.email
	admin@yellowfin.com.au
	action.adminuser.lastname=admin@example.com

## LDAP

### LDAP

	action.config.ldapbinduser
	LDAP
	action.config.ldapbinduser=username

### LDAP

	action.config.ldapbindpassword
	LDAP
	action.config.ldapbindpassword=secret


	action.config.broadcastemail
	no-reply@yellowfin.com.au
	action.config.broadcastemail=reports@example.com

	action.config.broadcastname
--	-----------------------------

	Yellowfin Reports
	action.config.broadcastname=BI Blue Reports

SMTP

SMTP

 SMTP

SMTP

	action.config.smtpserver
	SMTP
	action.config.smtpserver=mail.example.com

SMTP

	action.config.smtpport
	SMTP
	action.config.smtpport=465

SMTP ServerSSL

	action.config.smtpssl
	SMTPSSLtrue
	false
	action.config.smtpssl=true

SMTPStartTLS

	action.config.smtpstarttls
	SMTPStartTLStrue
	false
	action.config.smtpstarttls=true

SMTP

	action.config.smtpauth
	SMTPtrue
	false

	action.config.smtpauth=true
--	-----------------------------

### SMTP

	action.config.smtpusername
	SMTP
	action.config.smtpusername=username

### SMTP

	action.config.smtppassword
	SMTP
	action.config.smtppassword=secret

	action.config.dashwidth
	1000
	action.config.dashwidth=800

	action.config.associatedreports
	<b>RIGHTOFF</b>
	RIGHT
	action.config.associatedreports=OFF

	action.config.dashanalyticfilters
	<b>LEFTRIGHT</b>
	action.config.dashanalyticfilters=RIGHT

	action.config.searchlocation
	<b>TOPRIGHTOFF</b>
	TOP

	<code>action.config.searchlocation=RIGHT</code>
--	---

	<code>action.config.showtoolbar</code>
	<b>false</b>
	<code>true</code>
	<code>action.config.showtoolbar=false</code>

	<code>action.config.showtoolbarlogoff</code>
	<b>false</b>
	<code>true</code>
	<code>action.config.showtoolbarlogoff=false</code>

	<code>action.customindexpage</code>
	<code>action.customindexpage=resources/index.html</code>

	<code>action.config.headertype</code>
	<b>STANDARDCUSTOMNONE</b>
	<code>STANDARD</code>
	<code>action.config.headertype=NONE</code>

**URL**

	<code>action.config.standardheaderurl</code>
--	--

	<b>STANDARDURLURL</b>
	<code>action.config.standardheaderurl=header.html</code>

URL

	<code>action.config.customheaderurl</code>
	<b>CUSTOMURLURLURL</b>
	<code>action.config.customheaderurl=header.html</code>

	<code>action.config.footertype</code>
	<b>STANDARDCUSTOMNONE</b>
	STANDARD
	<code>action.config.footertype=NONE</code>

URL

	<code>action.config.standardfooterurl</code>
	<b>STANDARDURLURL</b>
	<code>action.config.standardfooterurl=footer.html</code>

URL

	<code>action.config.customfooterurl</code>
	<b>CUSTOMURLURLURL</b>
	<code>action.config.customfooterurl=footer.html</code>

---

regional"5^regional"5^

,@|&"