

-
-
-
- ColumnarDB
- URL
- ODBCJDBCODBC
-
-
- OLAP
-

- 1.
- 2.
3. csv
4. csv
- 5.

Data Source Details

Source Name:

Ski Team

Description:

Ski Team is the demonstration and tutorial database.

Max Rows Returned:

☐ Unlimited
☒ 10000

Writable:

☐ Yes
☒ No

Region:

Australia

Time Zone:

Sydney

1. 1
- 2.
- 3.

Security

Access Level:

☒  Unsecure
☐  Secure

Permissions:

☒ Broadcast
☒ Subscribe

Source Filters:

☐ Yes
☒ No

1. JDBC
 - : AccessLotus NotesODBCSQL
2. JDBC/ODBC
- 3.
4.
 - :
 - a. JDBCyellowfin\appserver\webapps\rootweb-inf\lib
 - b. Yellowfin
 - c. DBYellowfinweb.xmlyellowfin\appserver\webapps\rootweb-inf
 - d. <param-name>JDBCDrivers</param-name>

```
<param-name>JDBCDrivers</param-name>
  <param-value>
    com.ddtek.jdbc.openedge.OpenEdgeDriver, <!-- New driver added to list -->
```

1.
 - a. Yellowfin
 - b. **JDBC**
2. URL


```
jdbc:<db driver string>://<host>:<port>/<database>
      <db driver string><host>IP<port>TCP/IP<database>
```
3. Yellowfin
- 4.
- 5.

Connection Succeeded



Database:	HSQL Database Engine
Product Version:	2.2.8
Driver:	HSQL Database Engine Driver
Driver Version:	2.2.8
Database Version:	2.2
Source Name:	HSQLDB

[Click here to test the connection again.](#)

Database Schema:

ADDRESS

ATHLETEFACT

CAMP

CAMPAIGN

COUNTRYGEOMETRY

ColumnarDB

Columnar DB

1.

Connection

Connection Method:

JDBC

Authentication:

Standard Authentication

Database:

Columnar DB

Include schema in SQL:

☒

i

User Name:

Password:

2. OK

Connection Succeeded

Database:

Columnar Database

Product Version:

Version 0.3

Driver:

Columnar Database JDBC

Driver Version:

Version 0.3

Database Version:

0.7

Source Name:

In-Memory Columnar DB

Click here to test the connection again.

Database Schema:

No tables found.

3.

DBYellowfin

<http://www.yellowfinbi.com/YFForum-How-does-the-In-Memory-DB-work-and-will-it-make-my-reports-run-faster-?thread=108180>

URL

URL

	URLFormat
DB2 UDB	jdbc:db2://<host>:<port446>/<database>
HSQLDB server	jdbc:hsqldb:hsq://<host>:<port9001>/<database>
HSQLDB embedded	jdbc:hsqldb:<database>
IBM AS/400	jdbc:as400://<host>naming=sql;errors=full
Informix	jdbc:informix-sqli://<host>:<port1533>/<database>: informixserver=<dbservername>
JDataStore	jdbc:borland:dslocal:<file>
JDBC/ODBC Bridge	jdbc:odbc:<datasource>
MySQL	jdbc:mysql://<host>:<port3306>/<database>

Oracle Thin	jdbc:oracle:thin:@<host>:<port1521>:<sid>
Oracle OCI	jdbc:oracle:oci:@<host>:<port1521>:<sid>
PostgreSQL	jdbc:postgresql://<host>:<port5432>/<database>
Progress	jdbc:jdbcProgress:T:<host>:<port2055>:<database>
SQL Server (JTDS)	jdbc:jtds:sqlserver://<host>:<port1433>;DatabaseName=<database>
Sybase ASE (JConnect)	jdbc:sybase:Tds:<host>:<port2048>/<database>
Sybase ASA (JConnect)	jdbc:sybase:Tds:<host>:<port2638>/<database>
Yellowfin In-Memory	jdbc:columnar://localhost

ODBCJDBCODBC

Lotus NotesMS AccessJDBCYellowfinJDBC-ODBCJDBCODBC

Java RuntimeSun JDBC-ODBCJDBCODBCJDBCJDBC

Sun JDBC-ODBCsun.jdbc.odbc.jdbcodbcDriver

jdbc:odbc:<data-source-name>[;<attribute>=<value>]

where data-source-name is a registered ODBC data-source, followed by any data-source specific attributes.

For more information about the Sun JDBC-ODBC driver please visit: <http://java.sun.com/j2se/1.5.0/docs/guide/jdbc/getstart/bridge.doc.html>

: JDBC-ODBC

1. 55 Yellowfin
- 2.
3. SQL

Primary Connection Pool Management		
Min Connections:	1	
Max Connections:	5	
Refresh Time:	3 hours	
Timeout:	180 seconds	
Use secondary pool:	☐ Yes ☒ No	
Availability		
Availability:  Unknown. No attempt has been made to connect to this Data Source yet.		
[Click here to test the connection]		

DBA

:

OLAP

OLAPJDBC
XMLA OLAPOLAPOLAP

Connection	
Connection Method:	XMLA OLAP
XMLA URL:	http://192.168.4.159/olap/msmdpump.dll
User Name:	
Password:	
Data Source:	VM-WIN2KSERVER
Catalog:	Adventure Works DW

Connection Succeeded



Data Source:

Data Source Description:

Provider:

Provider Type:

[Click here to test the connection again.](#)

Cubes:

Adventure Works

Mined Customers