

- 
- [HTTPS](#)
- [Yellowfin web.xml](#)
  - 
  - [Cookie](#)
  - [OWASP](#)
  - [CSRF](#)
  - 
  - [API](#)
  -
- 

Yellowfin

## HTTPS

HTTPSTomcatHTTP

### Yellowfin web.xml

YellowfinAPI

Yellowfinweb.xml<Yellowfin >/appserver/webapps/ROOT/WEB-INF/web.xml

YellowfinHTTPS

```
<!-- Forward traffic to secure port -->
<security-constraint>
    <web-resource-collection>
        <web-resource-name>Automatic TLS Forwarding</web-resource-name>
        <url-pattern>/*</url-pattern>
    </web-resource-collection>
    <user-data-constraint>
        <transport-guarantee>CONFIDENTIAL</transport-guarantee>
    </user-data-constraint>
</security-constraint>
```

## Cookie

JSESSION Cookieweb.xmlCookieHTTPS

```
<!-- Secure cookie attribute -->
<session-config>
    <cookie-config>
        <secure>true</secure>
    </cookie-config>
</session-config>
```

## OWASP

YellowfinOWASPContent-Security-Policy<param-value>Yellowfin

```

<!-- OWASP Secure Headers -->
<filter>
    <filter-name>OWASPSecureHeaders</filter-name>
    <filter-class>com.hof.servlet.OWASPSecureHeaders</filter-class>
    <init-param>
        <param-name>Strict-Transport-Security</param-name>
        <param-value>max-age=315360000</param-value>
    </init-param>
    <init-param>
        <param-name>X-Frame-Options</param-name>
        <param-value>sameorigin</param-value>
    </init-param>
    <init-param>
        <param-name>X-Content-Type-Options</param-name>
        <param-value>nosniff</param-value>
    </init-param>
    <init-param>
        <param-name>X-Permitted-Cross-Domain-Policies</param-name>
        <param-value>none</param-value>
    </init-param>
    <init-param>
        <param-name>Content-Security-Policy</param-name>
        <param-value>default-src 'self' 'unsafe-inline' 'unsafe-eval'; font-src data: http://; img-src data:
http:</param-value>
    </init-param>
</filter>
<filter-mapping>
    <filter-name>OWASPSecureHeaders</filter-name>
    <url-pattern>/*</url-pattern>
</filter-mapping>

```

## CSRF

YellowfinCSRFnonce

```

<!-- Yellowfin CSRF Filter -->
<filter>
    <filter-name>CSRFFilter</filter-name>
    <filter-class>com.hof.servlet.CSRFFilter</filter-class>
    <init-param>
        <param-name>AllowedEntry</param-name>
        <param-value>/info.jsp,info_threads.jsp</param-value>
    </init-param>
</filter>
<filter-mapping>
    <filter-name>CSRFFilter</filter-name>
    <url-pattern>*.i4</url-pattern>
</filter-mapping>
<filter-mapping>
    <filter-name>CSRFFilter</filter-name>
    <url-pattern>*.jsp</url-pattern>
</filter-mapping>

```

AllowedEntryURLYellowfinnonceURL

CSRFinsecuredomainURLIgnoreYellowfin

```

<filter>
    <filter-name>RefererFilter</filter-name>
    <filter-class>com.hof.servlet.RefererFilter</filter-class>
    <init-param>
        <param-name>hostingdomainURL</param-name>
        <param-value>https://54.151.18.219</param-value>
    </init-param>
    <init-param>
        <param-name>ignore</param-name>
        <param-value>/RunDashboard.i4,/RunReport.i4,/*.js</param-value>
    </init-param>
</filter>
<filter-mapping>
    <filter-name>RefererFilter</filter-name>
    <url-pattern>/*</url-pattern>
</filter-mapping>

```

## API

Yellowfin 9.3 REST API REST API SOAP webAPI API AxisServlet

```

<!-- Web Services Servlet
<servlet>
    <servlet-name>AxisServlet</servlet-name>
    <servlet-class>org.apache.axis.transport.http.AxisServlet</servlet-class>
</servlet>
-->

```

## RESTJS API

```

<security-constraint>
    <web-resource-collection>
        <web-resource-name>UnusedAPI's</web-resource-name>
        <url-pattern>/api</url-pattern>
        <url-pattern>/JsAPI</url-pattern>
    </web-resource-collection>
    <auth-constraint>
        <role-name>denyaccess</role-name>
    </auth-constraint>
</security-constraint>

```

## OSRDBMS

URL	
<a href="https://&lt;YellowfinHostURL&gt;/info.jsp">https://&lt;YellowfinHostURL&gt;/info.jsp</a>	OS
<a href="https://&lt;YellowfinHostURL&gt;/info_cache.jsp">https://&lt;YellowfinHostURL&gt;/info_cache.jsp</a>	Yellowfin
<a href="https://&lt;YellowfinHostURL&gt;/info_cluster.jsp">https://&lt;YellowfinHostURL&gt;/info_cluster.jsp</a>	Yellowfin
<a href="https://&lt;YellowfinHostURL&gt;/info_language.jsp">https://&lt;YellowfinHostURL&gt;/info_language.jsp</a>	
<a href="https://&lt;YellowfinHostURL&gt;/info_threads.jsp">https://&lt;YellowfinHostURL&gt;/info_threads.jsp</a>	JVM
<a href="https://&lt;YellowfinHostURL&gt;/info_threads_enhanced.jsp">https://&lt;YellowfinHostURL&gt;/info_threads_enhanced.jsp</a>	CPU

```
<security-constraint>
  <web-resource-collection>
    <web-resource-name>server-info</web-resource-name>
      <url-pattern>/info.jsp</url-pattern>
      <url-pattern>/info_browser.jsp</url-pattern>
      <url-pattern>/info_cache.jsp</url-pattern>
      <url-pattern>/info_threads.jsp</url-pattern>
    </web-resource-collection>
    <auth-constraint>
      <role-name>denyaccess</role-name>
    </auth-constraint>
  </security-constraint>
```

#### Yellowfin RemoteAddrFilterIP

```
<filter>
  <filter-name>IPFilter</filter-name>
  <filter-class>org.apache.catalina.filters.RemoteAddrFilter</filter-class>
  <init-param>
    <param-name>allow</param-name>
    <param-value>127\.\d+\.\d+\.\d+</param-value>
  </init-param>
</filter>
<filter-mapping>
  <filter-name>IPFilter</filter-name>
  <url-pattern>/info.jsp</url-pattern>
  <url-pattern>/info_browser.jsp</url-pattern>
  <url-pattern>/info_cache.jsp</url-pattern>
  <url-pattern>/info_threads.jsp</url-pattern>
</filter-mapping>
```

#### 127.x.x.xTomcat Access Control

- 
- - 
  - [Yellowfin UI](#)