

web

web

|                   |                                    |                                 |
|-------------------|------------------------------------|---------------------------------|
|                   |                                    |                                 |
| sessionId         | String                             |                                 |
| loginId           | String                             | Yellowfin webYellowfinYellowfin |
| password          | String                             |                                 |
| ntlm              | Boolean                            |                                 |
| orgId             | Integer                            | ID1                             |
| loginSessionId    | String                             |                                 |
| orgRef            | String                             |                                 |
| query             | String                             |                                 |
| reportId          | Integer                            |                                 |
| dashboardTabId    | Integer                            |                                 |
| function          | String                             |                                 |
| person            | AdministrationPerson               |                                 |
| group             | AdministrationGroup                |                                 |
| report            | AdministrationReport               |                                 |
| client            | AdministrationClientOrg            |                                 |
| reportGroup       | AdministrationReportGroup          |                                 |
| favourite         | PersonFavourite                    |                                 |
| contentResources  | ContentResource[]                  |                                 |
| importOptions     | ImportOption[]                     |                                 |
| role              | AdministrationRole                 |                                 |
| retrospectiveDays | Integer                            |                                 |
| binaryData        | byte[]                             |                                 |
| people            | AdministrationPerson[]             |                                 |
| datasource        | AdministrationDataSource           |                                 |
| sourceClientLink  | AdministrationDataSourceClientLink |                                 |
| sourceId          | Integer                            |                                 |
| schedule          | AdministrationSchedule             |                                 |

getset

```
AdministrationServiceRequest sr = new AdministrationServiceRequest();
sr.setSessionId(savedSessionID);
```

webnull

- loginId
- password
- orgId
- function

webYellowfinweb**Yellowfin** webloginIdpasswordorgId

web

| ReportId           | Integer                     |
|--------------------|-----------------------------|
| StatusCode         | String                      |
| ErrorCode          | Integer                     |
| Messages           | String[]                    |
| SessionId          | String                      |
| LoginSessionId     | String                      |
| person             | AdministrationPerson        |
| people             | AdministrationPerson[]      |
| group              | AdministrationGroup         |
| groups             | AdministrationGroup[]       |
| roles              | AdministrationRole[]        |
| reports            | AdministrationReport[]      |
| reportGroups       | AdministrationReportGroup[] |
| report             | AdministrationReport        |
| clients            | AdministrationClientOrg[]   |
| client             | AdministrationClientOrg     |
| personfavourites   | PersonFavourite[]           |
| binaryAttachments  | ReportBinaryObject[]        |
| contentResources   | ContentResource[]           |
| importIssues       | ImportIssue[]               |
| EntityId           | Integer                     |
| parentDashboard    | ParentDashboard             |
| parentDashboards   | ParentDashboard[]           |
| parentReportGroups | ParentReportGroup[]         |

|                  |                            |
|------------------|----------------------------|
| binaryData       | String                     |
| contentType      | String                     |
| fileName         | String                     |
| queryResults     | ReportRow[]                |
| datasources      | AdministrationDataSource[] |
| loadedDataSource | AdministrationDataSource   |
| schedule         | AdministrationSchedule     |

getset

```
AdministrationServiceResponse ssr = doWebserviceCall(sr);

String statusCode = ssr.getStatusCode();
```

Yellowfin

| AdministrationPerson |         |                                                                                                                       |
|----------------------|---------|-----------------------------------------------------------------------------------------------------------------------|
| UserId               | String  | YellowfinIDIDID                                                                                                       |
| Password             | String  | Yellowfin                                                                                                             |
| FirstName            | String  | Yellowfin                                                                                                             |
| LastName             | String  | Yellowfin                                                                                                             |
| Initial              | String  | Yellowfin                                                                                                             |
| SalutationCode       | String  | Yellowfin <ul style="list-style-type: none"><li>• DR</li><li>• MISS</li><li>• MR</li><li>• MRS</li><li>• MS</li></ul> |
| RoleCode             | String  | YellowfinYFADMINYellowfin Administrator                                                                               |
| EmailAddress         | String  | Yellowfin                                                                                                             |
| LanguageCode         | String  |                                                                                                                       |
| IpId                 | Integer | YellowfinIP ID                                                                                                        |
| TimeZoneCode         | String  | Yellowfin                                                                                                             |
| Status               | String  | <ul style="list-style-type: none"><li>• ACTIVE</li><li>• INACTIVE</li><li>• INACTIVewithEMAIL</li></ul>               |

AdministrationGroup

|                     |  |  |
|---------------------|--|--|
| AdministrationGroup |  |  |
|---------------------|--|--|

|                        |                            |                           |
|------------------------|----------------------------|---------------------------|
| GroupName              | String                     |                           |
| GroupDescreption       | String                     |                           |
| GroupId                | Integer                    | ID                        |
| GroupStatus            | String                     |                           |
| GroupInternalReference | String                     |                           |
| GroupMembers           | AdministraionGroupMember[] | AdministrationGroupmember |

|            |         |                     |
|------------|---------|---------------------|
|            |         |                     |
| InternalId | Integer | YellowfinPersonIpld |
| LoginId    | String  | IDIDID              |

|                                  |        |           |
|----------------------------------|--------|-----------|
| <b>AdministrationReportGroup</b> |        |           |
| RoleName                         | String | Yellowfin |
| RoleDescription                  | String | Yellowfin |
| RoleCode                         | String | Yellowfin |

|                     |        |  |
|---------------------|--------|--|
|                     |        |  |
| FunctionName        | String |  |
| FunctionCode        | String |  |
| FunctionDescription | String |  |
| FunctionTypeCode    | String |  |
| AccessLevelCode     | String |  |

Yellwfin

|     |                           |      |      |      |
|-----|---------------------------|------|------|------|
|     |                           |      |      |      |
|     | MIREPORT                  |      | TN   | CRUD |
|     | ACTIVITYSTREAM            |      | null | CRUD |
|     | ADHOCREPORTS              |      | null | CRUD |
|     | ADMINAPPROVE              |      | null | CRUD |
| CSV | ADVANCEDEXCEL             | CSV  | null | CRUD |
| SQL | ADVANCEDSQL               |      | null | CRUD |
|     | ADVRPTSEARCH              |      | null | CRUD |
| SQL | ALLOWFREEHANDSQLCALCFIELD | SQL  | null | CRUD |
|     | ALLOWTRANSLATE            |      | null | CRUD |
|     | ANNOTATIONS               |      | null | CRUD |
|     | BACKGROUNDMANAGEMENT      |      | null | CRUD |
|     | BINARYLOADER              | JDBC | null | CRUD |
|     | BOOKMARKS                 |      | null | CRUD |

|                    |                      |      |      |      |
|--------------------|----------------------|------|------|------|
|                    | BROADCAST            | 1    | null | CRUD |
|                    | BROADCASTSUBSCRIBE   |      | null | CRUD |
|                    | CLIENTORGS           |      | null | CRUD |
|                    | COMPOSITE            |      | null | CRUD |
| CSV                | CREATESSTABLE        | CSV  | null | CRUD |
|                    | CUSTOMFILTER         |      | null | CRUD |
|                    | DASHPUBLIC           |      | null | CRUD |
|                    | DASHREFRESH          |      | null | CRUD |
|                    | DATASOURCE           |      | null | CRUD |
|                    | DATASOURCEADMIN      |      | null | CRUD |
|                    | DATAVIEW             |      | null | CRUD |
|                    | DISABLECACHEDFILTERS |      | null | CRUD |
|                    | DISABLEMOBILE        |      | null | CRUD |
|                    | DISCUSSIONADMIN      |      | null | CRUD |
|                    | DISCUSSIONGROUPS     |      | null | CRUD |
|                    | DISTRIBUTEREPORT     |      | null | CRUD |
|                    | DISTRIBUTESTORYBOARD |      | null | CRUD |
|                    | DRAFTDASHBOARDS      |      | null | CRUD |
|                    | DRAFTRPTLIST         |      | null | CRUD |
|                    | DRAFTVIEWS           |      | null | CRUD |
|                    | DRILLTHROUGH         |      | null | CRUD |
|                    | EMAILSTORYBOARD      |      | null | CRUD |
|                    | ERROREMAIL           |      | null | CRUD |
|                    | ERRORSTACKTRACE      |      | null | CRUD |
|                    | ETLPROCESS           |      | null | CRUD |
| CSV                | EXCELREPORTS         | CSV  | null | CRUD |
| CSV                | EXPORTCSV            | CSV  | null | CRUD |
| DOC                | EXPORTDOC            | DOC  | null | CRUD |
| XLS                | EXPORTEXCEL          | XLS  | null | CRUD |
| PDF                | EXPORTPDF            | PDF  | null | CRUD |
|                    | EXPORTSETTINGS       |      | null | CRUD |
|                    | EXPORTVIEW           | XML  | null | CRUD |
|                    | MULTICAST            |      | null | CRUD |
|                    | MULTICASTSRCFILTER   |      | null | CRUD |
|                    | NAMEDUSER            |      | null | CRUD |
| OLAP               | OLAP                 | OLAP | null | CRUD |
|                    | ORGCONFIG            |      | null | CRUD |
|                    | ORGREFCODES          |      | null | CRUD |
| Yellowfin          | PAGEFORMAT           |      | null | CRUD |
|                    | PUBLICSTORYBOARD     |      | null | CRUD |
|                    | REPORTCORPORATE      |      | null | CRUD |
|                    | REPORTDASHBOARD      |      | null | CRUD |
| Assisted Discovery | REPORTDATADISCOVERY  |      | null | CRUD |
|                    | REPORTEMAIL          |      | null | CRUD |
|                    | REPORTFROMREPORT     |      | null | CRUD |
|                    | REPORTMI             |      | null | CRUD |
|                    | RESTRICTROLES        |      | null | CRUD |

|               |                       |                      |      |      |
|---------------|-----------------------|----------------------|------|------|
|               | RPTREFRESH            |                      | null | CRUD |
| SQLJasper     | RUNTYPE               | SQLJasper            | null | CRUD |
|               | SEECORPDRAFT          |                      | null | CRUD |
|               | SEMAIL                |                      | null | CRUD |
|               | SKIPSCHEMACHECK       | CheckSchemaForUser   | null | CRUD |
|               | SOURCEFILTER          |                      | null | CRUD |
| SSRS          | SSRS                  | SSRS                 | null | CRUD |
|               | STORYBOARD            |                      | null | CRUD |
|               | STORYBOARDADMIN       |                      | null | CRUD |
|               | STORYBOARDGLOBAL      |                      | null | CRUD |
|               | SUBQUERIES            |                      | null | CRUD |
|               | SYSTEMINFO            |                      | null | CRUD |
|               | SYSTEMTASKADMIN       |                      | null | CRUD |
|               | TASKPERSONAL          |                      | null | CRUD |
|               | TASKPUBLIC            |                      | null | CRUD |
|               | THEMES                |                      | null | CRUD |
|               | TIMELINE              |                      | null | CRUD |
|               | TIMELINECONNECTIONS   |                      | null | CRUD |
|               | USERPROFILE           |                      | null | CRUD |
| /             | FILTERMINMAX          |                      | null | CRUD |
|               | FORCECLONEVIEWS       |                      | null | CRUD |
|               | GEOPACKMANAGEMENT     |                      | null | CRUD |
|               | HIDEADDTODASHBOARD    |                      | null | CRUD |
|               | HIDEDASHMAXIMISE      |                      | null | CRUD |
|               | HIDEDASHRPTMENU       |                      | null | CRUD |
| DBMS          | HIDEDBMSMSG           | DBMS                 | null | CRUD |
|               | HIDEEMAIL             |                      | null | CRUD |
|               | HIDEEMBEDLINKS        | JavaScript API       | null | CRUD |
| URL           | HIDEEXTLINKS          | URL                  | null | CRUD |
|               | HIDEPASSWORD          |                      | null | CRUD |
|               | HIDEPRINT             |                      | null | CRUD |
|               | HIDERPTLISTCOLUMNS    |                      | null | CRUD |
|               | HIDERPTLISTDETAILS    |                      | null | CRUD |
|               | HIDERPTMENUOPEN       |                      | null | CRUD |
| SQL           | HIDESQL               | SQLSQL               | null | CRUD |
| ID            | HIDEUSERID            | ID                   | null | CRUD |
|               | IMPORTVIEW            | XML                  | null | CRUD |
|               | INSTANTINSIGHTSETTING |                      | null | CRUD |
|               | INSTANTINSIGHTUSE     |                      | null | CRUD |
| JavaScript    | JAVASCRIPTCHART       | JavaScriptJavaScript | null | CRUD |
| ID            | LOGONID               | ID                   | null | CRUD |
|               | MANAGEFILTERPERIOD    |                      | null | CRUD |
|               | MANAGETAG             |                      | null | CRUD |
|               | VIEWCATEGORIES        |                      | null | CRUD |
| SQL           | VIEWRUNTYPE           | SQL                  | null | CRUD |
| Yellowfin Web | WEBSERVICES           | Yellowfin WebWeb     | null | CRUD |
|               | YFLICENCE             |                      | null | CRUD |

|  |                     |  |      |      |
|--|---------------------|--|------|------|
|  | YFROLES             |  | null | CRUD |
|  | ACCESSFILTER        |  | null | CRUD |
|  | ACCESSGROUP         |  | CP   | CRUD |
|  | CONTENTACCESS       |  | CP   | CRUD |
|  | USERS               |  | DIR  | CRUD |
|  | FAVOURITES          |  | QL   | CRUD |
|  | HIDERPTMENUCOMMENTS |  | null | CRUD |
|  | HIDERPTMENUDETAILS  |  | null | CRUD |
|  | REPORTSHIDDEN       |  | null | CRUD |

|                             |         |
|-----------------------------|---------|
| <b>AdministrationReport</b> |         |
| ReportName                  | String  |
| ReportDescription           | String  |
| ReportId                    | Integer |
| ExecutionObject             | String  |
| ReportCategory              | String  |
| ReportSubCategory           | String  |
| BirtData                    | String  |
| SourceName                  | String  |
| SourceId                    | Integer |
| AuthoringMode               | String  |
| ReportTemplate              | String  |
| DataOutput                  | String  |
| DashboardEnabled            | Boolean |
| ViewId                      | Integer |
| ViewName                    | String  |
| ViewDescription             | String  |
| LastModifierName            | String  |
| LastModifierId              | Integer |
| LastModifiedDate            | Date    |
| PublishDate                 | Date    |
| DeliveryMode                | String  |
| LastRunTime                 | Integer |
| AverageRunTime              | Integer |
| RoleCode                    | String  |
| ChartTypeCode               | String  |
| Usage                       | Integer |

|                                |        |      |
|--------------------------------|--------|------|
| <b>AdministrationClientOrg</b> |        |      |
| ClientName                     | String |      |
| ClientReferenceID              | String | IDID |
| TimeZoneCode                   | String |      |

|            |         |             |
|------------|---------|-------------|
| DefaultOrg | Boolean | trueBoolean |
| ClientId   | Integer | lpld        |

|                              |                        |                                                                          |
|------------------------------|------------------------|--------------------------------------------------------------------------|
| AdministrationReportGroup    |                        |                                                                          |
| ReportGroupName              | String                 |                                                                          |
| ReportGroupDescription       | String                 |                                                                          |
| ReportGrouplpld              | Integer                |                                                                          |
| ReportGroupStatus            | String                 |                                                                          |
| ReportGroupType              | String                 | <ul style="list-style-type: none"><li>• ANALYTIC</li><li>• KPI</li></ul> |
| ReportGroupInternalReference | String                 |                                                                          |
| GroupReports                 | AdministrationReport[] |                                                                          |
| AssociatedReports            | Integer[]              | ID                                                                       |
| PublishUUID                  | String                 | UUID                                                                     |

|                    |        |      |
|--------------------|--------|------|
| ReportBinaryObject |        |      |
| Key                | String |      |
| ContentType        | String | MIME |
| Data               | Byte[] |      |

|                     |         |                                                                                                                                                                                  |
|---------------------|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ContentResource     |         |                                                                                                                                                                                  |
| ResourceName        | String  |                                                                                                                                                                                  |
| ResourceDescription | String  |                                                                                                                                                                                  |
| Resourcecld         | Integer |                                                                                                                                                                                  |
| ResourceUUID        | Integer |                                                                                                                                                                                  |
| ResourceType        | String  | <ul style="list-style-type: none"><li>• RPTCATEGORY</li><li>• RPTSUBCATEGORY</li><li>• DATASOURCE</li><li>• VIEW</li><li>• GROUP</li><li>• REPORT</li><li>• ETLPROCESS</li></ul> |
| ResourceOrgId       | Integer |                                                                                                                                                                                  |
| ResourceCode        | String  | Yellowfin                                                                                                                                                                        |

|              |         |  |
|--------------|---------|--|
| ImportOption |         |  |
| ItemIndex    | Integer |  |
| OptionKey    | String  |  |
| OptionValue  | String  |  |

|           |             |  |
|-----------|-------------|--|
| OptionKey | OptionValue |  |
|-----------|-------------|--|



|                  |               |                        |
|------------------|---------------|------------------------|
| SKIP             | True<br>False |                        |
| OPTION           | ADD           |                        |
| OPTION           | REPLACE       |                        |
| EXISTING         | Content UUID  | IDViewIDIDCategoryCode |
| DATABASETYPECODE |               |                        |

|                                  |                 |
|----------------------------------|-----------------|
|                                  |                 |
| ODBC                             | GENERICODBC     |
| Microsoft Access                 | MSACCESS        |
| DB2 AS400                        | AS400           |
| Cache DB                         | CACHEDB         |
| Columnar DB                      | COLUMNAR        |
| DB2                              | DB2             |
| Connection Cloud                 | CONNECTIONCLOUD |
| Derby                            | DERBY           |
| DIAPRISM                         | DIAPRISM        |
| FileMaker Pro                    | FILEMAKER       |
| Firebird                         | FIREBIRD        |
| FoxPro                           | FOXPRODBC       |
| H2                               | H2              |
| Hive                             | HIVE            |
| HSQldb                           | HSQldb          |
| informix                         | INFORMIX        |
| Ingres                           | INGRES          |
| Vectorwise                       | VECTORWISE      |
| Interbase                        | INTERBASE       |
| Lucid                            | LUCIDDB         |
| MonetDB                          | MONETDB         |
| MySQL                            | MYSQL           |
| Netezza                          | NETEZZA         |
| Lotus Notes                      | NOTES           |
| NouDB                            | NOUDB           |
| Progress OenEdge                 | OPENEDGE        |
| Oracle                           | ORACLE          |
| Pervasive                        | PERVASIVE       |
| PostgreSQL                       | POSTGRESQL      |
| Progress                         | PROGRESS        |
| SAP HANA                         | SAPHANA         |
| SAS                              | SASJDBC         |
| SqLite                           | SQLITE          |
| Microsoft SQL Server             | MSSQLSERVER     |
| Sybase ASA / Sybase SQL Anywhere | SYBASEASA       |
| Sybase ASE                       | SYBASEASE       |
| Sybase IQ                        | SYBASEIQ        |
| TeraData                         | TERADATA        |
| Universe                         | UNIVERSE        |
| Vertica                          | VERTICA         |

|                     |                       |                     |
|---------------------|-----------------------|---------------------|
| DRIVER              | JDBC Driver classname |                     |
| URL                 | A JDBC URL            | URL                 |
| DATASOURCE          | XMLA Data Source      | XMLA                |
| CATALOG             | XMLA Catalog          | XMLA                |
| USERNAME            | Source Username       |                     |
| PASSWORD1           | Source Password       | PASSWORD2           |
| PASSWORD2           | Password Validation   |                     |
| SOURCE              | SOURCE<SourceId>      | Id 39003SOURCE39003 |
| CACHEVIEW           | True<br>False         |                     |
| CACHESOURCE         | SOURCE<SourceId>      | Id 39003SOURCE39003 |
| CATEGORY            | Category Code         |                     |
| SOURCE              | SOURCE<SourceId>      | Id 39003SOURCE39003 |
| VIEW                | VIEW<ViewId>          | Id 39003SOURCE39003 |
| EXECUTIONOBJECTNAME | Name                  | webweb              |
| CATEGORY            | CAT<CategoryCode>     | TUTORIALCATTUTORIAL |
| SUBCATEGORY         | CAT<CategoryCode>     | TUTORIALCATTUTORIAL |
| CATEGORY            | IMP<CategoryCode>     | TUTORIALIMPTUTORIAL |
| SUBCATEGORY         | IMP<CategoryCode>     | TUTORIALIMPTUTORIAL |

|               |                      |
|---------------|----------------------|
|               |                      |
| itemKey       | String               |
| resource      | ContentResource      |
| issueElements | ImportIssueElement[] |

|                   |          |
|-------------------|----------|
|                   |          |
| itemKey           | String   |
| messageComponents | String[] |
| renderdMessage    | String   |

|                    |                                              |      |
|--------------------|----------------------------------------------|------|
|                    |                                              |      |
| reportGroupId      | Integer                                      | ID   |
| reportGroupUUID    | String                                       | UUID |
| displayOrder       | Integer                                      |      |
| reportGroup        | <a href="#">AdministrationReportGroup</a>    |      |
| reportGroupSubTabs | <a href="#">AdministrationReportGroup</a> [] |      |

|                  |         |  |
|------------------|---------|--|
|                  |         |  |
| dashboardName    | String  |  |
| dashboardGroupId | Integer |  |

|             |          |    |
|-------------|----------|----|
| tabIds      | String[] | ID |
| tabNames    | String[] |    |
| statusCodes | String[] |    |

|               |         |                                                                                                                                                                    |
|---------------|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|               |         |                                                                                                                                                                    |
| PersonId      | Integer | IpIdYellowfinPerson.IpPerson                                                                                                                                       |
| ContentType   | String  | <ul style="list-style-type: none"><li>• REPORT</li><li>• REPORTGROUP</li><li>• DISCUSSIONGROUP</li><li>• REPORTVIEW</li><li>• STORYBOARD</li><li>• IMAGE</li></ul> |
| ContentId     | Integer | ID                                                                                                                                                                 |
| FavouriteType | String  |                                                                                                                                                                    |
| CreationCode  | String  |                                                                                                                                                                    |
| CreatorId     | Integer | CreationCode <b>DISTRIBUTE</b>                                                                                                                                     |
| TextEntityId  | Integer |                                                                                                                                                                    |
| InstanceId    | Integer |                                                                                                                                                                    |
| CreationDate  | Date    |                                                                                                                                                                    |
| Subject       | String  |                                                                                                                                                                    |
| Message       | String  |                                                                                                                                                                    |
| WidthCode     | String  |                                                                                                                                                                    |

ContentTypeFavouriteTypeCreationCode

| ContentType     | FavouriteType    | CreationCode |  |
|-----------------|------------------|--------------|--|
| REPORT          | FAVOURITE        | MANUAL       |  |
| REPORTGROUP     | REPORTDASHBOARD  |              |  |
| REPORTGROUP     | INBOX            | DISTRIBUTE   |  |
| DISCUSSIONGROUP | DISCUSSIONMEMBER |              |  |
| REPORTVIEW      |                  | MANUAL       |  |
| STORYBOARD      | FAVOURITE        | WEB          |  |
| IMAGE           | PROFILE          | MANUAL       |  |
| COMMENT         | FLAGGED          | MANUAL       |  |

|                   |                                                    |      |
|-------------------|----------------------------------------------------|------|
|                   |                                                    |      |
| AccessLevelCode   | String                                             |      |
| ClientSources     | <a href="#">AdministrationDataSourceClientLink</a> |      |
| ConnectionDriver  | String                                             |      |
| ConnectionPath    | String                                             |      |
| ConnectionString  | String                                             |      |
| ConnectionTimeout | Integer                                            |      |
| ConnectionType    | String                                             | JDBC |

|                           |                                                |              |
|---------------------------|------------------------------------------------|--------------|
| ConnectionTypeCode        | String                                         |              |
| InheritChildSourceFilters | Boolean                                        |              |
| LogFile                   | String                                         |              |
| MaxRows                   | Integer                                        |              |
| MaximumConnections        | Integer                                        |              |
| MinimumConnections        | Integer                                        |              |
| RefreshTime               | Integer                                        |              |
| SourceDescription         | String                                         |              |
| SourceId                  | Integer                                        | Yellowfin ID |
| SourceName                | String                                         |              |
| SourceOptions             | <a href="#">AdministrationDataSourceOption</a> |              |
| SourceType                | String                                         | MySQLOracle  |
| Timezone                  | String                                         |              |
| UserName                  | String                                         |              |
| UserPassword              | String                                         |              |

|               |        |
|---------------|--------|
|               |        |
| OptionKey     | String |
| OptionValue   | String |
| ValueDataType | String |

|              |         |
|--------------|---------|
|              |         |
| clientOrgId  | Integer |
| clientOrgRef | String  |
| sourceId     | Integer |

Yellowfinclassclass/Subclasssubclass

|                     |                                     |                                    |
|---------------------|-------------------------------------|------------------------------------|
|                     |                                     |                                    |
| Frequency           | <a href="#">ScheduleFrequency[]</a> |                                    |
| ScheduleActive      | String                              |                                    |
| ScheduleDescription | String                              |                                    |
| ScheduleUUID        | String                              | UUID                               |
| ScheduleTypeCode    | String                              | REPORTBROADCASTSOURCEFILTERREFRESH |
| LastRunStatus       | String                              |                                    |
| LastRunError        | String                              |                                    |
| LastRunDateTimeGMT  | String                              | GMT                                |
| NextRunDateTimeGMT  | String                              | GMT                                |

AdministrationSchedule classsub class

| AdministrationSchedule sub class   |  |                                                                                                                                                                                                                                                                                                                                   |
|------------------------------------|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CompositeViewRefreshSchedule       |  | class <ul style="list-style-type: none"><li>• ViewIdID</li></ul>                                                                                                                                                                                                                                                                  |
| FilterGroupCacheRefreshSchedule    |  | class <ul style="list-style-type: none"><li>• ViewId ID</li><li>• FilterGroupIdID</li></ul>                                                                                                                                                                                                                                       |
| RefCodeRefreshSchedule             |  | class <ul style="list-style-type: none"><li>• SourceIdID</li></ul>                                                                                                                                                                                                                                                                |
| ReportBroadcastSchedule            |  | class <ul style="list-style-type: none"><li>• ReportIdID</li><li>• RecipientsIDID</li><li>• Subject</li><li>• AppendDateFTP<small>EMAL</small></li><li>• BodyText</li><li>• FormatHTMLPDF</li><li>• ConditionListCondition</li><li>• FailureNotificationGroupID</li><li>• BroadcastStartDate</li><li>• BroadcastEndDate</li></ul> |
| ReportFilterCacheRefreshSchedule   |  | class <ul style="list-style-type: none"><li>• ReportIdID</li></ul>                                                                                                                                                                                                                                                                |
| ReportRefreshSchedule              |  | class <ul style="list-style-type: none"><li>• ReportIdID</li></ul>                                                                                                                                                                                                                                                                |
| SourceFilterRefreshSchedule        |  | class <ul style="list-style-type: none"><li>• SourceIdIDID</li><li>• SourceTypeSOURCE REPORTSourceId</li></ul>                                                                                                                                                                                                                    |
| SourceFilterUpdateReminderSchedule |  | class <ul style="list-style-type: none"><li>• SourceIdID</li></ul>                                                                                                                                                                                                                                                                |
| ThirdPartySourceAutoRunSchedule    |  | class <ul style="list-style-type: none"><li>• SourceIdID</li></ul>                                                                                                                                                                                                                                                                |

classclasssubclass

subclass

|                   |         |                             |
|-------------------|---------|-----------------------------|
|                   |         |                             |
| FrequencyTypeCode | String  |                             |
| FrequencyCode     | String  |                             |
| FrequencyUnit     | Integer |                             |
| LocalRunTime      | Integer | MinutesFrequency            |
| LocalTimezoneCode | String  | YellowfinAUSTRALIA / SYDNEY |

|             |        |  |
|-------------|--------|--|
| DayOrdinals | String |  |
|-------------|--------|--|

ScheduleFrequency classsub class

| ScheduleFrequency Sub Class |                    |                                                                                                                                                  |
|-----------------------------|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| AnnualFrequency             |                    | class <ul style="list-style-type: none"> <li>FrequencyCode</li> <li>FrequencyUnit</li> </ul>                                                     |
| BiannualFrequency           | X6 + XXMonthOfYear | class <ul style="list-style-type: none"> <li>FrequencyCodeONE6SIX</li> <li>FrequencyUnit</li> </ul>                                              |
| DailyFrequency              | classlocalRun Time |                                                                                                                                                  |
| EndOfMonthFrequency         | classlocalRun Time |                                                                                                                                                  |
| FortnightlyFrequency        |                    | class <ul style="list-style-type: none"> <li>FrequencyCodeMONDAY</li> <li>FrequencyUnitFrequencyCodedayOrdinals<br/>MONDAY=1SUNDAY=0</li> </ul>  |
| MinutesFrequency            | X                  | class <ul style="list-style-type: none"> <li>FrequencyUnit</li> </ul>                                                                            |
| MonthlyFrequency            |                    | class <ul style="list-style-type: none"> <li>FrequencyUnit</li> </ul>                                                                            |
| QuarterlyFrequency          |                    | class <ul style="list-style-type: none"> <li>FrequencyCodeONETHREE</li> <li>FrequencyUnit</li> </ul>                                             |
| WeekdaysFrequency           | classlocalRunTime  |                                                                                                                                                  |
| WeeklyFrequency             |                    | class <ul style="list-style-type: none"> <li>FrequencyCodeMONDAY</li> <li>FrequencyUnitfrequencyCode dayOrdinals<br/>MONDAY=1SUNDAY=0</li> </ul> |