

- JS API
- null
- URL
- RC4 128 PDF
- JNDI
- Jasper

YellowfinUISQL

Yellowfin YellowfinSQL

```
INSERT INTO Configuration VALUES (1, "SYSTEM", "OVERRIDE_LANGUAGE", "zh_CN");
```

“zh_CN”Java

1/1

JS API

HIDEJSAPIDETAILStrueJS APIJava OS serverInfo

javaVersion, operatingSystem, operatingSystemArch, operatingSystemVersion, releaseVersion, schemaVersion, subVersion, buildVersion

JS API

SQLIP Org1

```
INSERT INTO Configuration(IpOrg, ConfigTypeCode, ConfigCode, ConfigData) values(1, 'SYSTEM', 'HIDEJSPAPIDETAILS', 'true');
```

Yellowfin JS APIJS API

```
<script src="http://yourYfServer/JsAPI/v3"></script>
```

yellowfin.serverInfo

serverInfo

FALSE2

TRUE2TRUEFALSE

```
INSERT INTO Configuration(1, 'SYSTEM', 'LIMITCACHEDFILTERCONTEXT', 'TRUE');
```

1/

YellowfinWeb Yellowfin

FALSE ()

TRUEYellowfin

```
INSERT INTO Configuration VALUES (1, 'SYSTEM', 'NEVERMARKSOURCEUNAVAILABLE', 'true');
```

1

OracleYellowfin

Yellowfin ALL_OBJECTS ALL_SYNONYMS

USERYellowfinUSER_OBJECTSUSER_SYNONYMS

```
INSERT INTO Configuration VALUES(1,'SYSTEM', 'ORCL_SCOPE','USER');
```

1

null

null

FALSEnull

TRUEnull

```
INSERT INTO Configuration values(1, 'SYSTEM', 'ALLOWNULLCACHEFILTERS', 'TRUE');
```

1/

URL

YellowfinURLTRUEURLFALSEURL

```
INSERT INTO Configuration VALUES (1, 'SYSTEM', 'DISABLEURLTITLEFETCH', 'TRUE')
```

1/

XLSX

SQL

```
INSERT INTO Configuration(IpOrg, ConfigTypeCode, ConfigCode, ConfigData) values(<IP_org>, 'SYSTEM',  
'REPORTLOWMEMORYEXPORT', 'ON');
```

<IP_org>1

UI

REPORTLOWMEMORYEXPORT

TRUETRUE

SQL

```
INSERT INTO Configuration VALUES (<IP_org>, 'SYSTEM', 'SHOWLOWMEMORYEXPORTOPTION', 'TRUE');
```

<IP_org>1

SQL

```
INSERT INTO Configuration(IpOrg, ConfigTypeCode, ConfigCode, ConfigData) values(1, 'SYSTEM',  
'DISABLEOUTERJOINCHECK', 'TRUE');
```

1/

```
INSERT INTO Configuration VALUES (1, 'SYSTEM', 'BROADCASTSENDINLINE', 'TRUE');
```

1/

```
INSERT INTO Configuration VALUES (1, 'SYSTEM', 'COMBINEEMAILGROUPS', 'TRUE');
```

1/

YellowfinYellowfinSQL

```
INSERT INTO Configuration VALUES (1, 'SYSTEM', 'DISABLEFILTERPROMPTLIMIT', 'TRUE');
```

30

```
INSERT INTO Configuration VALUES (1, "SYSTEM", "HISTORICSCHEDULERECORDSLIMITDAYS", "60");
```

1ID60

SQL

SQL

```
INSERT INTO Configuration(IpOrg, ConfigTypeCode, ConfigCode, ConfigData) values(1, 'SYSTEM',  
'VALIDATECALCONSAVE', 'FALSE');
```

ConfigData = TRUEConfigData = FALSE

RC4 128 PDF

TRUEYellowfinPDFAES 256RC4 128

SQL

```
INSERT INTO Configuration VALUES (1, 'SYSTEM', 'USELEGACYPDFENCRIPTION', 'TRUE');
```

1/

FALSE

TRUEYellowfin

SQL

```
INSERT INTO Configuration VALUES (1, 'SYSTEM', 'LOGFAILEDLOGINEVENTDETAILSENABLED', 'TRUE')
```

1/

FTPYellowfin Append Broadcast DateAppend Broadcast Time

- {filename}EFTP
- SimpleDateFormatdatetime

{yyyy-MM-dd_HH-mm-ss}Ski Report - 2020-01-01_12-34-56.pdf

FTPFTPYellowfinWindows (:) NTFSE

```
INSERT INTO Configuration VALUES (1, 'SYSTEM', 'BROADCASTFILENAMETEMPLATE', '{filename} - {yyyy-MM-dd_HH-mm-ss}');
```

11

JNDI

SQLJNDI

```
INSERT INTO Configuration(1, 'SYSTEM', 'JNDISOURCEENABLED', 'TRUE');
```

Jasper

Jasper

```
INSERT INTO Configuration VALUES (1, 'SYSTEM', 'JASPERFILTERSNOTMANDATORY', 'true');
```

()

```
INSERT INTO Configuration VALUES (1, "SYSTEM", "CELL_LIMIT", "80000");
```

80000

```
INSERT INTO Configuration (iporg, configtypecode, configcode, configdata)
VALUES (1, 'SYSTEM', 'BROADCASTDEFAULTCODE', 'XLSX');
```

XLSXHTML, CSV, DOCX, PDF,, XLSX,

```
RESTRICTGUESTUSER = TRUE
```

FALSETRUE

1web

```
INSERT INTO Configuration VALUES (1, "SYSTEM", "SKIPUSERDELETEDLICENCEREFRESH", "TRUE");
```