

- - Yellowfin
- Yellowfin
 - Yellowfin
- Yellowfin
-

Yellowfin

Yellowfin

YellowfinROOTYellowfin

Yellowfin

YellowfinYellowfin

1. Yellowfinappserverbin
2. Windowsstartup.bak
3. Mac OSX/ LinuxStartup (background).commandStartup (terminal).command

Mac OS X - Startup (background).command

Mac OS X - Startup (terminal).command

4. Yellowfin60903060
- Yellowfin

```
yukayellowfin — Mac OS X - Startup (terminal).command — java • Mac OS X -...
|
| Clearing Content Locks... Done
|
| The MI Utility classes have been initialised.
|
=====
===== i4 SystemTaskManager Startup =====
|
| Debug Mode: off
| Interval: 5
| SystemTaskManager started
|
=====


20-Jun-2019 13:50:46.462 INFO [localhost-startStop-1] org.apache.catalina.startup
p.HostConfig.deployDescriptor Deployment of configuration descriptor [/Applicati
ons/Yellowfin 8.0/appserver/conf/Catalina/localhost/ROOT.xml] has finished in [1
25,200] ms
20-Jun-2019 13:50:46.485 INFO [main] org.apache.coyote.AbstractProtocol.start St
arting ProtocolHandler ["http-nio-8093"]
20-Jun-2019 13:50:46.516 INFO [main] org.apache.catalina.startup.Catalina.start
Server startup in 125426 ms
```

5. YellowfinWindowsshutdown.batShutdown.command
6. Yellowfin
7. Yellowfin


Yellowfin

WindowsYellowfinYellowfinYellowfin/

- Windows + Rservices.msc



- Yellowfin
- YellowfinYellowfinOK



- Yellowfin


Yellowfin

YellowfinYellowfin

1. YellowfinYellowfinhttp://localhost:8080

YellowfinYellowfinYellowfinhttp://some-server.local:8080http://server-name.yourcompany.com

2. Yellowfin



3.

admin@yellowfin.com.au
test

4.

YellowfinYellowfin

- 1. YellowfinYellowfin
- 2. Yellowfin
- 3.

Yellowfin

4. Yellowfin