

ReportComment			
CommentId	Integer	ID	getCommentId()
AuthorId	Integer	ID	getAuthorId()
Comment	String		getComment()
ReportId	Integer	ID	getReportId()
ParentCommentId	Integer	ID	getParentCommentId()
StatusCode	String		getStatusCode()
CommentDate	DateTime		getCommentDate()
LastActivityDate	DateTime		getLastActivityDate()

ReportRow			
DataValue	String[]		getDataValue()

ReportChart			
ReportIndex	Integer	HTML	getReportIndex()
Content Type	String	MIME <ul style="list-style-type: none">image/pngimage/jpg	getContentType()
Data	String	Base64	getData()
Filename	String	HTML	getFilename()

ReportSchema			
ColumnName	String		getColumnName()
DisplayName	String		getDisplayName()
ColumnLength	String		getColumnLength()
FieldId	Integer	ID	getFieldId()
DataType	String		getDataType()
SortOrder	Integer		
Hidden	Boolean		getHidden()
Prompt	Boolean		getPrompt()
NumberOfDecimals	Integer		
OutputLocation	String		
AllowPrompt	Boolean		getAllowPrompt()
CachedValues	Boolean		
FilterDisplayType	String		getFilterDisplayType()
FilterId	String	ID	getFilterId()
FilterOmittable	Boolean		getFilterOmittable()
FilterType	String		getFilterType()
DefaultValue1	String		getDefaultValue1()
DefaultValue2	String		getDefaultValue2()
FilterTypeCode	String		
FilterUUID	String	UUID	

MinimumValue	BigDecimal		getMinimumValue()
MaximumValue	BigDecimal		getMaximumValue()
ParentFilterId	Integer	ID	getParentId()
ValueUnitCode	String		getValueUnitCode()

ReportBinaryObject			
ContentType	String	MIME	getContentType()
Data	String	Base64	getData()
Key	String	ReportBinaryObject	getKey()

KPI			
Actual	String	KPI	getActual()
Target	String	KPI	getTarget()
Variance	String	KPI	getVariance()

DrillAnywhereTarget			
ParentCategory	String		getParentCategory()
Targets	ArrayString		getTargets()

ScheduleRecord			
Recipient	Integer	ID	getRecipient()
Subject	String		getSubject()
BodyText	String		getBodyText()
FrequencyTypeCode	String	<ul style="list-style-type: none"> MINUTES DAILY WEEKLY FORTNIGHTLY MONTHLY QUARTERLY BIANNUAL ANNUAL ENDOFMONTH 	getFrequencyTypeCode()
FrequencyCode	String	JANUARY	getFrequencyCode()
FrequencyUnit	Integer	231	getFrequencyUnit()
Format	String	<ul style="list-style-type: none"> PDF HTML CSV DOC XLS RTF 	getFormat()
ConditionList	ArrayCondition	Condition Condition	getConditionList()
AdvancedTimezoneCode	String		getAdvancedTimezoneCode()
AdvancedTime	Integer		getAdvancedTime()

Condition			
-----------	--	--	--

Operator	String	<ul style="list-style-type: none"> BETWEEN NOTBETWEEN EQUAL NOTEQUAL GREATER GREATEREQUAL INLIST NOTINLIST ISNULL ISNOTNULL LESS LESSEQUAL STARTSWITH NOTSTARTSWITH CONTAINS NOTCONTAINS ENDSWITH NOTENDSWITH 	getOperator()
FieldId	Integer	ID	getFieldId()
Value1	String		getValue1()
Value2	String	BETWEENNOTBETWEEN	getValue2()

DashboardDefinition			
TabId	Integer	ID	getTabId()
GroupTypeCode	String	<ul style="list-style-type: none"> ANALYTIC KPI STANDARD 	getGroupTypeCode()
Owner	Integer	ID	getOwner()
OwnerTypeCode	String	ORGANISATION	getOwnerTypeCode()
AccessCode	String		getAccessCode()
StartDate	Date		getStartDate()
EndDate	Date		getEndDate()
StatusCode	String		getStatusCode()
ShortDescription	String		getShortDescription()
LongDescription	String		getLongDescription()
LanguageCode	String		getLanguageCode()
StyleCode	String	<ul style="list-style-type: none"> SINGLE TWO THREE WIDENARROW NARROWWIDE 	getStyleCode()
Audience	String		getAudience()
ParentGroupId	Integer	ID	getParentGroupId()
Elements	Array (DashboardElement)	DashboardElement DashboardElement	getElements()
Filters	Array (DashboardFilterDefinition)	DashboardFilterDefinition DashboardFilterDefinition	getFilters()
Fields	Array (DashboardFieldDefinition)	DashboardFieldDefinition	getFields()

DashboardElement			
TabId	Integer	ID	getTabId()
EntityId	Integer	IDID	getEntityId()
EntityTypeCode	String	REPORT	getEntityTypeCode()
ColumnNumber	Integer	1	getColumnNumber()
RowNumber	Integer	1	getRowNumber()

SequenceNumber	Integer		getSequenceNumber()
StartDate	Date		getStartDate()
PortletStatus	String		getPortletStatus()
PortletHeight	Integer		getPortletHeight()

DashboardFieldDefinition			
TabId	Integer	ID	getTabId()
FieldId	Integer	ID	getFieldId()
FieldType	String	<ul style="list-style-type: none"> • BOOLEAN • DATE • GISGEOMETRY • GISMULTIPOLY • GISPOINT • NUMERIC • TEXT • TIMESTAMP 	getFieldType()
ReportId	Integer	ID	getReportId()
TemplateId	Integer	ID	getTemplateId()
FieldName	String		getFieldName()
FieldDescription	String		getFieldDescription()

DashboardFilterDefinition			
GroupId	Integer	ID	getGroupId()
ComponentId	Integer	ID	getComponentId()
ComponentTypeCode	String	DashboardFilterDefinition <ul style="list-style-type: none"> • FILTER • FILTERGROUP • NULL 	getComponentTypeCode()
EntityId	Integer		getEntityId()
EntityTypeCode	String	DashboardFilterDefinition <ul style="list-style-type: none"> • REPORT • REPORTGROUP 	getEntityTypeCode()
FormatKey	String		getFormatKey()
FormatValue	String		getFormatValue()

ReportFilter			
FilterId	Integer	ID	getFilterId()
IsOmitted	Boolean		getIsOmitted()
DataValue	String	2BETWEEN	getDataValue()

DashboardFilter			
ReportId	Integer	ID	getReportId()
FilterType	String		getFilterType()
FilterId	Integer	ID	getFilterId()
TabId	Integer	ID	getTabId()
FilterValue	String	2BETWEEN	getFilterValue()
TemplateId	Integer	IDDRILL	getTemplateId()

SortOrder