

BMC Action Request



/Yellowfin

YellowfinBMC Action Request

1.



2. BMC Action Request

FEATURED

Amazon Redshift

Google BigQuery

Microsoft SQL Server

MySQL

Oracle

PostgreSQL

Snowflake

Cube

JNDI

CSV

Please, select the kind of data source you want to add.

Search

Apache Hive

Apache Hive 2

BMC Action Request

Clickhouse

Columnar DB (Deprecated)

Composite Information Server

Connection Cloud

Data Booster

Databricks

Embarcadero Interbase

Add Driver

Add Driver

Add Driver

Add Driver

Add Driver

Add Driver

Add Driver

Add Driver

Add Driver

Cancel

3. ()

4. : JDBC

接続方法

☐ 標準
☒ 接続文字

5.

Authentication Adapter

Standard Authentication

☒ Include Schema in SQL

Database Host

Database Port

0

Custom Parameters

JDBC Driver

com.bmc.arsys.jdbc.core.Driver

User Name

Password

6. :

7. SQL: SQL

8. : BMC Action RequestIP

9. : TCP/IP ()

10. : : refreshCache=10;rowLimit=10000;DateTimeFormat=MM/dd/yyyy hh:mm:ss a;DateFormat=yyyy-MM-dd;mode=new;locale=en;timeZone=AUSTRALIA/SYDNEY

11. JDBC: BMC Action RequestJDBC

JDBC Driver

com.bmc.arsys.jdbc.core.Driver

12. : BMC Action Request

13. :

14.

▼ 高度

15.

← 戻る

保存

テスト接続

キャンセル

- :
- :
- : Yellowfin

← 戻る

保存

✓ テスト接続

キャンセル

- :

新規データソース作成

✓ データソースを保存しました

データソースへの接続に成功しました。

閉じる